Index

Reactor Materials

Volume 12

The page range for each of the four issues of Vol. 12 is as follows:

No. 1, pages 1 to 72
No. 2, pages 73 to 154
No. 3, pages 155 to 219
No. 4, pages 221 to 256

70/30 cupronickel
  corrosion by water, 178
90/10 cupronickel
  corrosion by H_3BO_3–NaOH solutions, 95
  corrosion by water, 178
90-30 cupronickel
  corrosion by H_3BO_3–NaOH solutions, 95
250 maraging steel
  casting, use of high-temperature dies in, 210

A

Accidents
  loss-of-coolant in water-cooled power reactors, metal–water reactions during, 32–33
Acoustic-emission testing, 69–70, 152, 217–18
Alloy 718
  welding, 215
Aluminum
  bonding to steel by use of explosive-welded inserts, 64
  corrosion by Freon-11, 95
  corrosion of powdered by diphenyl, 103–4
  corrosion by seawater, 27
  corrosion and wear surveillance in the PRTR, 27
  diffusion of Cu in, 134
  diffusion of Nb in, 198
  fluxless brazing of, 215, 217
  phase studies, 2
  reaction with H_2O during loss-of-coolant accidents in light-water power reactors, 32
Aluminum (liquid)
  solubility of C in, 185
Aluminum alloy (6061-T6)
  cavitation damage in H_2O, 95
Aluminum alloy (1100)
  corrosion by H_3BO_3–NaOH solutions, 95
  density, effects of irradiation on, 109–10
  embrittlement, effect of He on, 110
Aluminum alloy (2014)
  development of a rapid stress-corrosion test for, 25
Aluminum alloy (2024)
  development of a rapid stress-corrosion test for, 25
Aluminum alloy (2024-T3)
  rotating cyclic-strain fatigue behavior of, effect of atmosphere on, 117
Aluminum alloy (2219)
  stress corrosion in NaCl solution, 177
Aluminum alloy (2219-T37)
  stress corrosion in NaCl–$AlCl_3$ solutions, 177
Aluminum alloy (3003)
  corrosion by H_3BO_3–NaOH solutions, 95
Aluminum alloy (5052)
  corrosion by H_3BO_3–NaOH solutions, 95
Aluminum alloy (6061)
  corrosion by H_3BO_3–NaOH solutions, 95
Aluminum alloy (7039)
  development of a rapid stress-corrosion test for, 25
Aluminum alloy (7039-T6)
  stress corrosion in NaCl–$AlCl_3$ solutions, 177
Aluminum alloy (7075)
  casting, use of high-temperature dies in, 210
  stress corrosion in NaCl solution, 177
Aluminum alloy (7075-T6)
  stress corrosion in NaCl–$AlCl_3$ solutions, 177
Aluminum alloy (7075-T651)
  development of a rapid stress-corrosion test for, 25
Aluminum alloy (7079-T6)
  stress corrosion in NaCl–$AlCl_3$ solutions, 177
Aluminum alloy (7079-T651)
  development of a rapid stress-corrosion test for, 25
Aluminum alloy (X8001)
  embrittlement, effect of He on, 110
Aluminum alloys
  (see Hastelloy N, Inconel 718, Magnox Al-80, Nimonic 105, SAP, SAP-865, SAP-895, SAP-900, Udimet 700, and XAP-005)
Aluminum alloys (Al–Be)
  elastic properties of sheet, 237–38
  mechanical properties of extruded tubing of, 237–38
Aluminum alloys (Al–B–Cr–Hf–Ta)
  oxidation in air at high temperatures, 178
Aluminum alloys (Al–C–Fe–U)
  creep properties, 157–58
Aluminum alloys (Al–Cu)
  precipitation in supersaturated, effect of irradiation on, 113
  tensile properties, effect of irradiation on, 191
Aluminum alloys (Al–Hf–Ta)
  high-temperature strength properties, 45
Aluminum alloys (Al–Hf–Ta–W)
  high-temperature strength properties, 45
  oxidation tests at 1000°C, 45
Aluminum alloys (Al–Fe–U)
  microstructure of as-cast, 156
Aluminum alloys (Al–Pu)
  diffusion in, 159
  fabrication into fuel rods, 141
Aluminum alloys (Al–Ti–V)
  diffusion welds in, effect of welding temperature and pressure on strength of, 252
Aluminum alloys (Al–U)
  analysis of precipitates in, 156
  irradiation performance, 221
  microstructure of as-cast, 156
Aluminum dispersions (Al–UAl_3)
  compressive strength, 78
  plate fabrication by the picture-frame, hot-rolling technique, 8
  swelling during heat treatments, 78
Aluminum dispersions (Al–U_3O_8)
  compressive strength, 78
  plate fabrication by the picture-frame, hot-rolling technique, 8
  swelling during heat treatments, 78
Aluminum oxide (Al_2O_3)
  brazing, 253
  brazing to Cu, 253
  brazing to Nb–Zr alloy, 215
  chemical plating with Cr_7C_3, 250
  chemical-vapor deposition of, 250
  corrosion by K vapor, effects of Si on, 30
  plating of tubes with Nb, 63
  pressure bonding to Nb, 62
  properties of pressed-forged polycrystalline, 131
  reaction with ThO_2, 164–65
  room-temperature fracture studies of polycrystalline, 131–32
  sintering, application of a microwave-stimulated electrodeless gas discharge to, 55
  Young's modulus, fracture stress and fracture strain of commercially available, 55
Aluminum oxide systems (Al_2O_3–ZrO_2)
  phase studies, 132
Aluminum systems
  (see K-Monel and Nimonic 80A)
Aluminum systems (Al–C–Fe–Si–U)
  precipitation of UAl_3 from 350 to

This index was prepared by Theodore F. Davis of AEC's Division of Technical Information Extension, Oak Ridge, Tenn.

600°C, kinetics of, 73–74
Aluminum systems (Al–C–Fe–Si–U)
(Zircaloy-2 clad)
corrosion of beta heat-treated by water at 282°C, 73
Aluminum systems (Al–C–Fe–U)
microstructure of as-cast, 156
Aluminum systems (Al–C–Si–U)
microstructure of as-cast, 156
Aluminum systems (Al–C–U)
microstructure of as-cast, 156
Aluminum systems (Al–Cr–Si–U)
irradiation swelling, 83–84
Aluminum systems (Al–Hf–Nb–N–Ti–W–Zr)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Aluminum systems (Al–Fe–Si–U)
alpha-to-beta transition temperature, 73
microstructure of as-cast, 156
structural properties, 73
Aluminum systems (Al–Mo–Si–U)
irradiation swelling, 83–84
Aluminum systems (Al–Si–U)
microstructure of as-cast, 156
Americium hydroxide
electrodeposition of, 64
Arsenical admiralty
corrosion by water, 178
ASTAR 811C
creep properties, 122

B

Barium
diffusion coefficient for H_2 in, 93
diffusion of H_2 in, 199
diffusion in pyrolytic graphite, 16
heat of solution of BaH_2 in, 93
solubility of BaH_2 in, 93
Barium fluoride (BaF_2)
trapping of Xe in, effect of bombardment temperature on, 167
Barium hydride (BaH_2)
heat of solution in Ba, 93
solubility in Ba, 93
Beryllium
annealing of hot-pressed irradiated, gas behavior during, 172
annealing of radiation damage, 89–90
brazing, 91, 216–17
cleavage-crack initiation and propagation in monocrystals of, energy requirement for, 173
corrosion by CO_2, 240–41
corrosion by sodium chloride solution, 91
corrosion by water vapor, 19, 91
corrosion protection with anodized and aluminized coatings, 91
corrosion protection by chemical-conversion coatings, 241
diffusion of C, N, and O in, frequency factors and activation energies for, 51
ductile–brittle behavior, 17–18
effect of improved purity on mechanical properties of wrought polycrystalline sheets, 173–74
elastic constants, 17–18
electron-beam welding, 91
grain size in rolled commercial plate, effect of rapid heating and cooling on, 89
irradiation damage, 89–90, 241–42
microplastic characteristics of hot isostatically and isoforged, 237
physical metallurgy of, book on, 172
plastic deformation of monocrystals at 4.2 to 300°K, 173
powder metallurgy, effect of particle size on the physical properties of press-forged, 18–19
preparation by hot isostatic pressing of powders, 239–40
pressure-sintering of powers, 90–91
stress corrosion in aqueous-salt environments, 91
spark sintering of powders, 240
Beryllium (2-pass zone-leveled SR-Grade)
deformation of single crystals under high pressure, 173
Beryllium (12-pass zone-leveled SR-Grade)
deformation of single crystals under high pressure, 173
Beryllium (A)
mechanical properties of tubing, 90
Beryllium (AMS-7902)
fracture toughness, effect of temperature and strain rate on, 18
Beryllium (B)
mechanical properties of tubing, 90
Beryllium (Beryleo Grade Super PEL)
dimensional stability and microplastic properties of, 172–73
Beryllium (bicrystal)
ductile–brittle behavior, 17
Beryllium (BL)
mechanical properties of tubing, 90
Beryllium (Brush Grade I-1400)
dimensional stability and microplastic properties of, 172–73
Beryllium (molten)
development of crucibles for, 60
Beryllium (polycrystalline)
hardness, effect of grain size on, 237, 239
self-diffusion in, study by using ^7B isotope, 18
Beryllium (PS)
mechanical properties of tubing, 90
Beryllium (S-200)
thermal conductivity, 241
Beryllium (SR Grade)
deformation of single crystals under high pressure, 173
Beryllium (zone purified)
flow and fracture characteristics of, 17
Beryllium alloys
elastic constants, 17–18
flow and fracture characteristics of, 17
Beryllium alloys (Al–Be)
elastic properties of sheet, 237–38
mechanical properties of extruded tubing of, 237–38
Beryllium alloys (Be–Cu)
recrystallization studies, 18
Beryllium alloys (Be–Ni)
recrystallization studies, 18
Beryllium boride
diffusion in, frequency factors and activation energies for, 51
Beryllium carbide
diffusion in, frequency factors and activation energies for, 51
Beryllium composites (Al–Be)
fabrication by powder metallurgy, 211–12
Beryllium oxide
diffusion in, frequency factors and activation energies for, 51
Beryllium oxide (BeO)
corrosion by K vapor, effects of Si on, 30
reaction with ThO_2, 164–65
sintering, application of a microwave-stimulated electrodeless gas discharge to, 55
Beryllium oxide dispersions (BeO–UO_2)
irradiation effects on physical properties of, 92
retention of fission products, 92
Bibliographies
on impurity diffusion in oxides, 51
on ionic self-diffusion in simple oxides, 51
on the permeation and diffusion of N, O, and rare gases through stainless steel, 53
Bismuth
deposition on metals by evaporation-abetted bias sputtering, 63
Bismuth (liquid)
solubility of Th in, 185
Books
on physical metallurgy of Be, 172
on physical properties of graphite, 89
Borides
(see also specific borides)
properties of plasma sprayed, 126
Boron
conversion of low-density amorphous type to high-density, high-purity crystalline powder, 22
mechanical properties, improvement by coating with SiC and TiC, 23
packing characteristics of irregularly shaped crystalline particles, 22
Boron alloys
(see Hastelloy N)
Boron alloys (Al–B–Cr–Hf–Ta)
oxidation in air at high temperatures, 178
Boron alloys (B–Mo–W)
phase studies, 127
Boron alloys (B–U)
grain-refining effects and transformation kinetics of, 73–74
Boron carbide
irradiation swelling, 93–94
Boron carbide (B_4C)
compatibility with liquid Na, 245–46
evaluation for use in fast reactors, 23
mechanical properties, improvement by coating with SiC and TiC, 23
reaction with liquid Na, 184
Boron carbide (PyC coated)
irradiation swelling, 93–94
Boron carbide systems (B_4C–UO_2)
irradiation testing, 175–76
Boron nitride (BN)
chemical plating with Al, Cu, Au, La, or Ag, 249
Brass
corrosion by Freon-11, 95
Brass (metastable beta)
effect of irradiation on martensitic transformation in, 44
Brazing, 67–68, 150–51, 215–17, 253–54

C

C-129Y
corrosion by liquid K, 186
development of aluminide and silicide coatings for oxidation protection of, 179
Cadmium
deposition on metals by evaporation-abetted bias sputtering, 63
Cadmium alloys (Cd–In–Ag)
performance as control-rod material, 245

Calcium fluoride (CaF_2)
trapping of Xe in, effect of bombardment temperature on, 167
Carbon
solubility in liquid Al, Pb, and Sn, 185
solubility in liquid Na, 184
Carbon (pyrolytic)
(see Graphite (pyrolytic))
Carbon composites
preparation by arc-melting and centrifugal casting, 203
tensile properties, 203–4
Carbon composites (NbC–C)
thermal expansion, 204
Carbon composites (ZrC–C)
thermal expansion, 204
Carbon steel
corrosion by H_3BO_3–NaOH solutions, 95
Carbon systems
(see ASTAR 811C, Croloy, D-43, HP-9Ni-4Co-0.2C, K-Monel, Monel 400, Nimonic 80A, Su-16, T-222, TZC, TZM, Vanstar-7, and Vanstar-9)
Carbon systems (Al–C–Fe–Si–U)
precipitation of UAl_2 from 350 to 600°C, kinetics of, 73–74
Carbon systems (Al–C–Fe–Si–U)(Zircaloy-2 clad)
corrosion of beta heat-treated by water at 282°C, 73
Carbon systems (Al–C–Fe–U)
creep properties, 157–58
microstructure of as-cast, 156
Carbon systems (Al–C–Si–U)
microstructure of as-cast, 156
Carbon systems (Al–C–U)
microstructure of as-cast, 156
Carbon systems (C–Cr–V)
phase studies, 126
Carbon systems (C–Hf–Mo)
tensile properties at high temperatures, 200–1
Carbon systems (C–Hf–Ta–W–Zr)
oxidation in air, formation of protective coating during, 180
Carbon systems (C–Hf–W)
strength and ductility of, effect of composition, heat-treatment and substructure on, 123
Carbon systems (C–Fe)
radiation-induced increase in yield strength, effect of C content on, 44
Carbon systems (C–Fe–Si–U)
microstructure of as-cast, 156
Carbon systems (C–Fe–U)
microstructure of as-cast, 156
Carbon systems (C–Mo–Nb)
phase diagrams, 126
Carbon systems (C–N–O–U)
phase studies, 81
Carbon systems (C–N–Pu)
studies, 77
Carbon systems (C–N–U)
studies, 77
Carbon systems (C–O–Pu)
phase studies, 77
Carbon systems (C–O–Th)
phase studies, 81
Carbon systems (C–Pu)
phase studies, 161, 224
Carbon systems (C–Si–U)
microstructure of as-cast, 156
Carbon systems (C–Mo–Ta)
phase diagrams, 126
Carbon systems (C–U)
grain-refining effects and transformation kinetics of, 73–74
microstructure of as-cast, 156
Carbon systems (C–U–V)
phase studies, 10
Carbon systems (C–U–Zr)
phase studies, 227
Carbon systems ((Pu,U)–C–N)
studies, 77
Cb-132M
development of aluminide and silicide coatings for oxidation protection of, 179
Cb-752
creep–rupture properties, effect of annealing on, 122
development of aluminide and silicide coatings for oxidation protection of, 179
oxidation behavior of Cr–$MoSi_2$ coated, 180
oxidation in air, effect of LiO_2 additions on, 98
Ceramic fibers
thermal properties of Dynaquartz, Dynaflex, and sapphire wood, 54–55
Ceramic oxides
diffusion mechanisms in, 55
Ceramics
joining to other materials, 215
Cerium alloys (Ce–Co–Pu)(liquid)
irradiation studies, 3
Cerium alloys (Ce–Pu)
Ce diffusion in, 75, 133
Cerium carbide systems (CeC–UC–ZrC)
phase studies, 9
Cerium oxide (CeO_2)
reaction with ThO_2, 164–65
Cesium
diffusion in pyrolytic graphite, 16
Cesium (liquid)
corrosive properties, 103
Cesium (vapor)
erosive effects on turbine buckets, 30
Cesium-137
encapsulation for long-term storage, use of inertia welding for, 252
Cesium iodide (CsI)
diffusion of ^{135}X in, 199
Chromium
creep properties, 46
diffusion in, bibliography on, 132
diffusion in Ti, 134
effect of irradiation on NDT of, 43
effect of irradiation on thermal hardening of, 43
relative partial molar enthalpy in liquid Pu, 3
solubility in liquid Pu, 3
Chromium alloys
(see DH-242, HA-25, Hastelloy C, Hastelloy N, Hastelloy X, Haynes 25, Haynes 188, IN-800, Incoloy 600, Inconel 600, Inconel 625, Inconel 718, L-605 superalloy, Multimet, Nimonic 105, S-1, SANDVIK 12R7 2HV, TD-nickel-Cr, and Udimet 700)
Chromium alloys (Al–B–Cr–Hf–Ta)
oxidation in air at high temperatures, 178
Chromium alloys (Cr–Co)
oxidation behavior, 97
Chromium alloys (Cr–Co–Fe–Mo–Ni–W)
tensile properties of irradiated, effect of Ti additions on, 189–90
Chromium alloys (Cr–Fe–Ni)
effect of irradiation on the superplasticity of, 39
stress-corrosion cracking, "straining"-electrode experiments on, 26
tensile properties, effect of irradiation on, 190–91
Chromium alloys (Cr–Fe–Zr)
beta to alpha transformation temperature of, effect of cooling rate on, 119
development, 48
hardenability, effect of cooling rate on, 193
Chromium alloys (Cr–Mo)
corrosion in high-temperature water, 178
Chromium alloys (Cr–Nb–Zr)
creep properties in air, 48–49
development, 48–49
effect of irradiation on tensile properties of annealed, 34–35
Chromium alloys (Cr–Ti)
diffusion of Cr, Fe, and W in, 198
Chromium alloys (Cr–Ti–V)
burst properties of tubes, effect of irradiation on, 110
compatibility with PuC–UC fuels, 161–62
compatibility with PuO_2–UO_2 systems, 78
corrosion by liquid Na, 26
preparation of high purity, 60
preparation of ingots of, 210–11
Chromium alloys (Cr–U)
grain-refining effects and transformation kinetics of, 73–74
Chromium boride (CrB_2)
irradiation damage, 22–23
Chromium carbide (Cr_3C_2)
chemical deposition of, 250
integral and partial configuration entropies for solid solutions of, 127
structure and hardness, effect of high pressure on, 204
Chromium oxide (Cr_2O_3)
corrosion of powdered by diphenyl, 103–4
Chromium oxide systems (Cr_2O_3–TiO_2)
phase studies, 55
Chromium oxide systems (Cr_2O_3–ZrO_2)
phase studies, 55
Chromium systems
(see Croloy, Nimonic 80A, and Vanstar-7)
Chromium systems (Al–Cr–Si–U)
irradiation swelling, 83–84
Chromium systems (C–Cr–V)
phase studies, 126
Chromium systems (Cr–O)
phase studies, 132
Cladding materials, 25–55, 95–135, 177–205
Cobalt-60
diffusion in Co and Inconel 600, 134–35
Cobalt alloys
(see HA-25, Hastelloy C, Haynes 25, Haynes 188, Haynes Stellite 25, Kovar, L-605 superalloy, Nimonic 105, S-1, Udimet 700, and UMCO 51)
Cobalt alloys (Ce–Co–Pu)(liquid)
irradiation studies, 3
Cobalt alloys (Cr–Co)
oxidation behavior, 97
Cobalt alloys (Cr–Co–Fe–Mo–Ni–W)
tensile properties of irradiated, effect of Ti additions on, 189–90
Cobalt alloys (Co–Gd)
phase diagram, 245
Cobalt systems
(see HP-9Ni-4Co-0.2C)
Computer codes
for analyzing irradiation damage in metals, 11–12
Concrete
creep, strength and elastic properties at elevated temperatures, 54

use for reactor pressure vessels, 205
Concrete (portland cement)
thermal properties, effect of moisture content on, 130–31
Conferences and meetings
on nondestructive testing of graphite, 17
on radiation effects on metals, 33
on the use of Zircaloy and zirconium alloys in the Nuclear Reactors at Marianske Lazne, Czechoslovakia, 34
Control materials, 22–23, 93–94, 175–76, 245–47
Copper
brazing to Al_2O_3, 253
corrosion by Freon-11, 95
corrosion by H_3BO_3–NaOH solutions, 95
corrosion by seawater, 27
diffusion in Al, 134
diffusion in Ti, 134
effect of irradiation on elevated-temperature ductility of, 38
irradiation damage, 114
irradiation damage, effect of impurities on pinning, 44
precipitation in supersaturated, effect of irradiation on, 113
solubility in liquid Na, 29–30
tensile properties, effect of irradiation on, 191
welding to Mo, Ta, and stainless steel, 252–53
Copper alloys
(see 70/30 cupronickel, 9/10 cupronickel, and 90/30 cupronickel)
Copper alloys (Al–Cu)
tensile properties, effect of irradiation on, 191
Copper alloys (Be–Cu)
recrystallization studies, 18
Copper alloys (Cu–Fe–Zr)
corrosion by steam, effects of radiation on, 177
Copper alloys (Cu–Mg)
tensile properties, effect of irradiation on, 191
Copper alloys (Cu–Mo–Zr)
diffusion of Mg in, effect on tensile properties of, 52
Copper alloys (Cu–Nb–Zr)
in-pile relaxation behavior, 34
Copper alloys (Cu–Zr)
diffusion of O in, 52
transformation characteristics of, 49
Copper oxide (Cu_2O)
preparation of single crystals of, 249
Copper systems
(see Aluminum alloy (2024-T3), K-Monel, and Monel 400)
Copper systems (Cu–Si)
effect of irradiation on elevated-temperature ductility of, 38
Cor-Ten
corrosion in high-temperature water, 178
Croloy
corrosion by Na–H_2O reaction products, 181
Crucibles
coatings for, 2–3
Crystals (metal)
irradiation damage, basic studies of, 11–12

D

D-43
corrosion by liquid K, 186
development of aluminide and silicide coatings for oxidation protection of, 179
rupture strength, effect of heat treatment on, 121–22
Deuterium systems (Er–D)
thermodynamic properties, 20–21
DH-242
oxidation behavior of, effects of stress, thermal cycling, and isothermal exposure on, 97
Diffusion studies, 51–53, 132–35, 196–200
Diffusion Information Center
publications, 51
Diphenyl
corrosive properties, 103–4
Dynaflex
thermal properties, 54–55
Dynaquartz
thermal properties, 54–55

E

Eddy-current testing, 69, 152, 217–18
Erbium hydride (ErH_2)
crystal structure, 20
Erbium hydride (ErH_3)
crystal structure, 20
Erbium oxide (Er_2O_3)
diffusion of ^{169}Er in, 53
Erbium systems (Er–D)
thermodynamic properties, 20–21
Erbium systems (Er–H)
phase studies, 20
thermodynamic properties, 20–21
Europium
diffusion in pyrolytic graphite, 16
Europium carbide (EuC_2)
preparation and properties, 246–47
Europium oxide dispersions (Eu_2O_3–stainless steel)
performance as control-rod material in SM-1A Reactor, 176
Explosive metalworking, 64, 147–48, 214, 251
Extrusion
apparatus for, 61

F

F-48
development of $NbSi_2$–Fe–Cr glaze coating for oxidation protection of, 179–80
Fabrication techniques (special), 60–70, 141–52, 210–18, 248–55
Ferrovac Fe
radiation-induced increase in yield strength, effect of C content on, 44
Fission
rate measurements with solid-state track records, 84
Fissium alloys (fissium–Pu–U)
high-burnup properties, 75
Fluoride salts
structural materials for use with, 32
Freon-11
corrosive properties, 95
FS-85
rupture strength, effect of heat treatment on, 121–22
Fuel elements (ceramic)
fabrication of $U_3C_2Si_2$, 141
irradiation damage, basic studies of, 12–13
Fuel elements (metal)
irradiation damage, computer programs for analyzing, 11–12
Fuel elements (U, Zircaloy-2-clad)
irradiation swelling, effect of axial hole in, 73
Fuel elements (Zr clad)
production of, French patent on, 60–61
Fuel and fertile materials, 1–13, 73–85, 155–67, 221–33

G

Gadolinium alloys (Co–Gd)
phase diagram, 245
Gadolinium oxide (Gd_2O_3)
reaction with HfO_2, 176
Gallium alloys (Ga–Pu)
Ga diffusion in, 75
growth of large crystals by using a modified Bridgeman technique, 2
Gallium alloys (liquid) (Ga–Pu)
solubility of Nb in, 158–59
GE2541
corrosion by air at 1000°C, 26–27
Germanium
preparation of single crystals of, 249
Graphite
area density, nondestructive measurement of the fluctuations in, 16
brazing, 253
evaluation of various types for superheat service in reactor cores, 16
growth of large high-quality single crystal of, 89
irradiation damage in isotropic, 171
joining to other materials, 215
manufacturing methods for, 89
mechanical properties, survey of, 89
nondestructive testing, symposium on, 17
orientation of crystallites in polycrystalline, development of densitometer for quick measurement of, 171
physical properties, book on, 89
pressure bonding to Fe, Mo, Ta, W, and Zr, 62
production and properties, 236–37
production from organic materials, effect of heteroatoms on thermal-expansion coefficient of, 171
reaction with liquid Na, effects of irradiation, 183–84
triple points for AGKS, AGOT, AGSR, and LANG, 16–17
use in Rover reactor cores, power-density and thermal-stress limitations for, 17
vaporization characteristics between 2500–3000°K, 236
Graphite (pyrolytic)
chemical deposition on fuel particles, 250–51
coatings on fuel particles, irradiation testing of, 89
creep properties during irradiation, 89
diffusion of Ba, Cs, Eu, and Sr in, 16
fission-fragment damage, 171
optical anisotropy of, effect of surface texture on, 172
oxidation by He–H_2O mixtures, 16
production and properties, 236–37
Graphite composites (NbC–graphite)
mechanical and physical properties, 202–3
Graphite composites (HfC–graphite)
mechanical properties, 204

Graphite composites (TiC-graphite)
mechanical properties, 204
Graphite composites (ZrC-graphite)
mechanical properties, 204
Graphite dispersions (UC-graphite)
fabrication, 228

H

HA-25
corrosion by liquid Na, effect of temperature on, 181
Hafnium
diffusion in, bibliography on, 132
diffusion of C, N, and O in, frequency factors and activation energies for, 51
recrystallization behavior, 22
self-diffusion in, 52
solubility in liquid Li and K, 185
symposium on fabrication and properties of, 117
Hafnium alloys
(see also C-129Y, T-111, and T-222)
symposium on fabrication and properties of, 117
Hafnium alloys (Al–B–Cr–Hf–Ta)
oxidation in air at high temperatures, 178
Hafnium alloys (Al–Hf–Ta)
high-temperature strength properties, 45
Hafnium alloys (Al–Hf–Ta–W)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Hafnium alloys (Hf–Nb–Ti–Zr)
high-temperature strength properties, 45
Hafnium alloys (Hf–Nb–W–Zr)
high-temperature strength properties, 45
Hafnium alloys (Hf–Pu)
phase diagram, 159–60
Hafnium boride (HfB_2)
diffusion in, frequency factors and activation energies for, 51
properties of, effect of ceramic additives on, 132
Hafnium boride systems (HfB_2–HfC)
mechanical properties at elevated temperatures, 175
Hafnium carbide (HfC)
compatibility with various refractory metals, 123–24
diffusion in, frequency factors and activation energies for, 51
elastic properties, 205
integral and partial configuration entropies for solid solutions of, 127
mechanical properties at elevated temperatures, 175
microhardness of, effect of stoichiometry on, 127, 129
yield strength of, 127, 130
Hafnium carbide cermets (Mo–Re–HfC)
properties, 124–25
Hafnium carbide composites (HfC–C)
preparation by arc-melting and centrifugal casting, 203
tensile properties, 203–4
Hafnium carbide composites (HfC-graphite)
mechanical properties, 204
Hafnium carbide composites (HfC–Mo)
melting temperature, 204
Hafnium carbide composites (HfC–Nb)
melting temperature, 204
Hafnium carbide composites (HfC–Ta)
melting temperature, 204
Hafnium carbide composites (HfC–Ti)
melting temperature, 204
Hafnium carbide composites (HfC–W)
melting temperature, 204
Hafnium carbide composites (HfC–V)
melting temperature, 204
Hafnium carbide composites (HfC–Zr)
melting temperature, 204
Hafnium carbide systems (HfB_2–HfC)
mechanical properties at elevated temperatures, 175
Hafnium carbide systems (HfC–VC)
phase diagrams, 126
Hafnium carbide systems (HfC–TiC–ZrC)
miscibility gaps in, 126
Hafnium nitride (HfN)
compatibility with various refractory metals, 123–24
Hafnium nitride systems (HfN–UN)
phase studies, 9–10
Hafnium oxide
diffusion in, frequency factors and activation energies for, 51
Hafnium oxide (HfO_2)
compatibility of Y_2O_3 stabilized with various refractory metals, 123–24
reaction with Gd_2O_3, 176
sintering, application of a microwave-stimulated electrodeless gas discharge to, 55
Hafnium oxide systems (HfO_2–Sm_2O_3)
phase studies, 23
Hafnium oxide systems (HfO_2–ZrO_2)
phase studies, 94
Hafnium systems (Al–Hf–Nb–N–Ti–W–Zr)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Hafnium systems (C–Hf–Mo)
tensile properties at high temperatures, 200–1
Hafnium systems
(see ASTAR 811C, SU-16, and T-222)
Hafnium systems (C–Hf–Ta–W–Zr)
oxidation in air, formation of protective coating during, 180
Hafnium systems (C–Hf–W)
strength and ductility of, effect of composition, heat-treatment and substructure on, 123
radiation contraction of, 16
Hastelloy C
corrosion by air at 1000°C, 26–27
corrosion by liquid K, 30
corrosion by seawater, 27
Hastelloy N
corrosion by air, inhibition by Si and Ti additions to, 26
corrosion by liquid K, 30
creep strength, effect of Ti additions on, 50
diffusion of Ti in, 197–98
stress-rupture properties of irradiated, effect of Hf, W, and Ti additions on, 191
welding of, 214–15, 252
Hastelloy X
brazing, 68
corrosion by air at 705 to 1095°C, properties of film formed on, 26
corrosion by air at 1000°C, 26–27
corrosion by liquid K, 30
evaluation as fuel-cladding materials for the LMFBR, 29
microstructure stability at high temperatures, 50
oxidation behavior of, effects of stress, thermal cycling, and isothermal exposure on, 97
use as PuC–UC cladding, compatibility studies, 6
Haynes 25
corrosion by air at 1000°C, 26–27
Haynes 188
effects of irradiation on tensile properties of, 40–41
Haynes Stellite 25
effects of irradiation on tensile properties of, 40–41
electrical-discharge and electrochemical machining of, effect on fatigue endurance limit of, 194
HP-9Ni–4Co–0.2C
evaluation as pressure-vessel materials, 195
HS-25
corrosion by liquid K, 30
corrosion by liquid Na, 28
corrosion by Hg vapor, 30–31
Hydrogen
permeation in metals, method for measuring, 199
Hydrogen systems (Er–H)
phase studies, 20
thermodynamic properties, 20–21
Hydrogen systems (H–Nb)
phase studies, 93, 243–44
Hydrogen systems (H–Ta)
phase diagram, 243–44
Hydrogen systems (H–U–Zr)
irradiation testing in the TRIGA Mark F Reactor, 20
pressure-temperature isochores to 1300°C for, 19–20
Hydrogen systems (H–Zr)
phase studies, 92–93

I

IN-800
corrosion by liquid Na, 180
Incoloy 600
stress-corrosion cracking in 100-psi water, inhibition by phosphate additions, 26
Incoloy 800
compatibility with PuN–UN, 70
compatibility with PuO_2–UO_2, 224
compatibility with (U,Pu)N, 162
corrosion by high-temperature steam, properties of film formed on, 26
corrosion by liquid Na, 98–99, 181
corrosion by Na–H_2O reaction products, 181
creep-rupture properties of irradiated, 188–89
effect of C and Ti content on creep properties of irradiated, 39–40
evaluation as fuel-cladding materials for the LMFBR, 29
radiation-induced density changes in, 108–9
rupture properties, effect of irradiation on, 106–7
tensile properties, effect of He impregnation on, 107
use as PuC–UC cladding, compatibility studies, 6
Inconel 600
corrosion by air at 1000°C, 26–27
corrosion by high-temperature steam, properties of film formed on, 26
corrosion in high-temperature water, 178
corrosion by H_3BO_3–NaOH solutions, 95
diffusion of ^{60}Co in, 134–35
electrical-discharge and electrochem-

ical machining of, effect on fatigue endurance limit of, 194
stress–corrosion cracking in 100-psi water, inhibition by phosphate additions, 26
welding, 215
Inconel 625
compatibility with PuN–UN, 7
evaluation as fuel-cladding materials for the LMFBR, 29
rupture properties, effect of irradiation on, 106–7
Inconel 718
brazing, 67–68
corrosion by H_3BO_3–NaOH solutions, 95
evaluation as pressure-vessel materials, 195
mechanical properties, survey of, 195
Inconel X750
effect of irradiation on the impact properties of, 39–40
electrical-discharge and electrochemical machining of, effect on fatigue endurance limit of, 194
Indium alloys (Cd–In–Ag)
performance as control-rod material, 245
Insulating material (thermal)
thermal properties of ceramic fibers, 54
Iridium
chemical deposition on quartz plates, 63
Iron
corrosion of powdered by diphenyl, 103–4
electron-beam floating-zone-melting apparatus for rods of, 249
irradiation damage, mechanisms, 191–92
irradiation damage in various reactors, 114
irradiation hardening of single crystals, effect of C content on, 114–15
phase studies, 2
pressure bonding to graphite, 62
radiation damage, effect of cold working on, 44
radiation-induced increase in yield strength, effect of C content on, 44
solubility in liquid Na, 184
work-hardening coefficient of, effect of irradiation on, 112
Iron (alpha)
in-pile creep tests on, 33–34
Iron alloys
(see HA-25, Hastelloy N, Hastelloy X, Haynes 25, IN-800, Incoloy 600, Kovar, and L-605 superalloy)
Iron alloys (Al–Fe–U)
microstructure of as-cast, 156
Iron alloys (Cr–Co–Fe–Mo–Ni–W)
tensile properties of irradiated, effect of Ti additions on, 189–90
Iron alloys (Cr–Fe–Ni)
effect of irradiation on the superplasticity of, 39
stress–corrosion cracking, "straining"-electrode experiments on, 26
Iron alloys (Cr–Fe–Zr)
beta to alpha transformation temperature of, effect of cooling rate on, 119
development, 48
hardenability, effect of cooling rate on, 193
Iron alloys (Cu–Fe–Zr)
corrosion by steam, effects of radiation on, 177
Iron alloys (Fe–Th)
cracking during fusion welding, effect of Mo addition on, 162
Iron alloys (Fe–Ti)
reaction with H_2, 244–45
Iron alloys (Fe–U)
microstructure of as-cast, 156
Iron systems
(see Aluminum alloy (2024-T3, Croloy, Hastelloy C, Inconel 718, Inconel 625, Inconel 600, Monel 400, Multimet, Vanstar-7, and Vanstar-9)
Iron systems (Al–C–Fe–Si–U)
precipitation of UAl_2 from 350 to 600°C, kinetics of, 73–74
Iron systems (Al–C–Fe–Si–U)(Zircaloy-2 clad)
corrosion of beta heat-treated by water at 282°C, 73
Iron systems (Al–C–Fe–U)
creep properties, 157–58
microstructure of as-cast, 156
Iron systems (Al–Fe–Si–U)
alpha-to-beta transition temperature, 73
microstructure of as-cast, 156
structural properties, 73
Iron systems (C–Fe)
radiation-induced increase in yield strength, effect of C content on, 44
Iron systems (C–Fe–Si–U)
microstructure of as-cast, 156
Iron systems (C–Fe–U)
microstructure of as-cast, 156
Iron systems (Fe–Si–U)
microstructure of as-cast, 156

K

K-Monel
cracking of bolt studs on autoclaves and pumps, causes of, 27
Kovar
electron-beam welding to 321 stainless steel, 65
welding to 321 stainless steel, 253

L

L-605 superalloy
brazing, 68
oxidation behavior from 1000 to 2000°C, 97
Lanthanum boride (LaB_6)
irradiation damage, 22–23
Lead
deposition on metals by evaporation-abetted bias sputtering, 63
electron-beam floating-zone-melting apparatus for rods of, 249
explosive bonding to stainless steel, 64
Lead (liquid)
solubility of C in, 185
structural materials for use with, 32
Lead intermetallic compounds ($PuPb_2$)
identification in Pu–Pb alloys, 75
Lead intermetallic compounds ($PuPb_3$)
identification in Pu–Pb alloys, 75
Lead intermetallic compounds (Pu_3Pb)
identification in Pu–Pb alloys, 75
Lead intermetallic compounds (Pu_5Pb_3)
identification in Pu–Pb alloys, 75
Lead intermetallic compounds (Pu_3Pb_4)
identification in Pu–Pb alloys, 75
Lead iodide
irradiation damage, computer simulation of, 11
Lithium
corrosive properties, 103
Lithium (liquid)
solubility of Hf, Mo, Nb, Re, Ta, and Zr in, 185
Low-silicon bronze
corrosion by water, 178
Lutetium
diffusion of C, N, and O in, 53
Lutetium oxide systems (Lu_2O_3–PuO_2)
phase studies, 77

M

Magnesium
corrosion by organic coolants, inhibition by NH_4OH and CO_2, 32
creep properties of compacted powders of, 47
deposition on metals by evaporation-abetted bias sputtering, 63
Magnesium alloys
(see also Magnox Al-80)
corrosion by organic coolants, inhibition by NH_4OH and CO_2, 32
Magnesium alloys (Cu–Mg)
tensile properties, effect of irradiation on, 191
Magnesium oxide (MgO)
fracture stress of polycrystalline, effect of water vapor on, 132
reaction with ThO_2, 164–65
room-temperature fracture studies of polycrystalline, 131
sintering, application of a microwave-stimulated electrodeless gas discharge to, 55
trapping of Xe in, effect of bombardment temperature on, 167
Young's modulus of polycrystalline, effect of water vapor on, 132
Magnesium systems
(see Aluminum alloy (2024-T3))
Magnox AL-80
creep properties, 47
density, effect of strain during creep testing, 117
fracture mode, effect of grain-boundary sliding on, 117
Manganese
phase studies, 2
solubility in liquid Pu, 3, 158
Manganese systems
(see Aluminum alloy (2024-T3, Nimonic 80A, Monel 400, Hastelloy C, and Hastelloy N)
Mercury (vapor)
corrosive effects on HS-25, 30–31
Metals
casting of high purity, review of methods for, 210
irradiation damage, computer programs for analyzing, 11–12
permeation of H_2 in, method for measuring, 199
radiation effects, symposia on, 33
reaction with H_2O during loss-of-coolant accidents in water-cooled power reactors, 32–33
Methyl iodide (CH_3I)
release from U and UO_2 during reactor accidents, 85
Moderator materials, 16–22, 89–93, 171–75, 236–45
Molybdenum
corrosion by liquid Na, 28
creep properties, 46
diffusion from irradiated UO_2, 226
diffusion in, bibliography on, 132

diffusion in Y, 134
diffusion in W, 133–34
diffusion of C, N, and O in, frequency factors and activation energies for, 51
dislocation-velocity measurements in high-purity single crystals, 46
effect of irradiation on carbide coatings on, 130
electrical resistance of irradiated, effect of pressure on recovery of, 113–14
electron-beam floating-zone-melting apparatus for rods of, 249
fabrication of sheets of, 248
fabrication of tube of, 61
interaction with active gases in vacua and inert gas environments, 97–98
oxidation in air, effect of LiO_2 additions on, 98
oxidation of, effect of foreign gases on kinetics of, 179
oxidation of powders in 20°C air, effect of humidity on, 98
oxygen adsorption on the (100) surface of single crystals of, 179
oxygen absorption and thermal stability of the (111) surface of, 98
pressure bonding to graphite, 62
production of ingots by electron-beam melting, 60
radiation damage, effect of cold working on, 44
radiation damage in, thermal stability of, 43–44
relative partial molar enthalpy in liquid Pu, 3
solubility in liquid Li and K, 185
solubility in liquid Pu, 3
Vickers hardness of, effect of irradiation on, 113
welding to Cu, 252–53
Molybdenum alloys
(see also Hastelloy X, Inconel 625, Inconel 718, Multimet, Nimonic 105, S-1, SANDVIK 12R7 2HV, TZM molybdenum, and Udimet 700)
corrosion by liquid Na in stainless steel pipes, 28
development of fused-silicide coatings for, 250–51
interaction with active gases in vacua and inert gas environments, 97–98
Molybdenum alloys (B–Mo–W)
phase studies, 128
Molybdenum alloys (Cr–Co–Fe–Mo–Ni–W)
tensile properties of irradiated, effect of Ti additions on, 189–90
Molybdenum alloys (Cr–Mo)
corrosion in high-temperature water, 178
Molybdenum alloys (Cu–Mo–Zr)
diffusion of Mg in, effect on tensile properties of, 52
Molybdenum alloys (Mo–Nb)
deformation of single crystals, effect of composition, orientation, and temperature on, 44–45
Molybdenum alloys (Mo–Pu–U)
fabrication in fuel elements for the Zero Power Plutonium Reactor, 249
Molybdenum alloys (Mo–Re)
compatibility with various carbides, 123–24
Molybdenum alloys (Mo–Re–W)
electron-beam welding to T-111, 64–65
Molybdenum alloys (Mo–Ti–Zr)
corrosion by liquid Na, 28
Molybdenum alloys (Mo–W)
corrosion, chemical and galvanic, 98
Molybdenum alloys (Mo–U)
corrosion by diphenyl, 104
corrosion by seawater, 27
grain-refining effects and transformation kinetics of, 73–74
irradiation swelling, 83–84
mechanical and physical properties, 158
recrystallization, effect of B on, 2
specific heat, 74
tensile properties, 2
tensile properties, effect of temperature on, 232
thermal cycling of, effects on surfaces of, 232
transformation of gamma phase on
Molybdenum alloys (Mo–U–Zr)
corrosion by H_2O, effect of composition and heat-treating on, 232
rapid cooling, 74
Molybdenum boride
diffusion in, frequency factors and activation energies for, 51
Molybdenum carbide
diffusion in, frequency factors and activation energies for, 51
integral and partial configuration entropies for solid solutions of, 127
Molybdenum cermets (Mo–Re–HfC)
properties, 124–25
Molybdenum cermets (Mo–Re–ZrC)
properties, 124–25
Molybdenum cermets (Mo–UO_2)
mechanical and thermal properties of, 8
Molybdenum composites (HfC–Mo)
melting temperature, 204
Molybdenum oxide
diffusion in, frequency factors and activation energies for, 51
Molybdenum systems
(see Croloy, SU-16, TZC, and TZM)
Molybdenum systems (Al–Mo–Si–U)
irradiation swelling, 83–84
Molybdenum systems (C–Hf–Mo)
tensile properties at high temperatures, 200–1
Monel 400
corrosion in high-temperature water, 178
corrosion by H_3BO_3–NaOH solutions, 95
Multimet
effects of irradiation on tensile properties of, 40–41

N

Neodymium alloys (Na–Pu)
phase diagram, 159
Neptunium hydroxide
electrodeposition of, 64
Neptunium oxide (NpO_2)
electrodeposition of thin films on metal surfaces, 80
Nickel
diffusion of H_2 in, activation energy for, 199
diffusion of Pu in, 197
effect of irradiation on elevated-temperature ductility of, 38
irradiation damage, 114
preparation of single crystals of, 249
solubility in liquid Na, 184
wetting by liquid Na, 181–82
Nickel (molten)
development of crucibles for, 60
Nickel alloy (15-15N)
properties of, effect of exposure to high temperature steam on, 119
Nickel alloy (16-25-6)
properties of, effect of exposure to high temperature steam on, 119
Nickel alloy (270)
cavitation damage in H_2O, 95
Nickel alloys
(see also 70/30 cupronickel, 90/10 cupronickel, 90/30 cupronickel, HA-25, Hastelloy C, Hastelloy N, Haynes 25, Haynes 188, Haynes Stellite 25, IN-800, Incoloy 600, Inconel 600, Inconel 625, Inconel 718, Kovar, L-605 superalloy, Multimet, Nimonic 105, S-1, SANDVIK 12R7 2HV, TD-nickel, TD-nickel-Cr, and Udimet 700)
corrosion by liquid Na in stainless steel pipes, 28
in-pile creep tests on, 33–34
Nickel alloys (Be–Ni)
recrystallization studies, 18
Nickel alloys (Cr–Co–Fe–Mo–Ni–W)
tensile properties of irradiated, effect of Ti additions on, 189–90
Nickel alloys (Cr–Fe–Ni)
effect of irradiation on the superplasticity of, 39
stress-corrosion cracking, "straining"-electrode experiments on, 26
tensile properties, effect of irradiation on, 190–91
Nickel systems
(see HP-9Ni-4Co-0.2C, K-Monel, Monel 400, and Nimonic 80A)
Nimonic 80A
effect of irradiation on elevated-temperature ductility of, 38
Nimonic 105
rupture properties, effect of heat treatment during testing of, 120
Niobium
adsorption-rate sticking probabilities for O_2 on, 179
chemical deposition, 250
chemical deposition on Al_2O_3 tubing, 63
corrosion by HCl, H_2SO_4, and NaOH solutions, 179
corrosion by liquid Li, 103
corrosion by liquid K containing various amounts of dissolved O_2, 101–2
creep properties, 46
diffusion bonding, 66–67
diffusion bonding to Ta, 66–67
diffusion in, bibliography on, 132
diffusion in Y, 134
diffusion of C, N, and O in, frequency factors and activation energies for, 51
effect of irradiation on carbide coatings on, 130
electron-beam floating-zone-melting apparatus for rods of, 249
electron-beam melting, contamination during, 60
interaction with active gases in vacua and inert gas environments, 97–98
oxidation in air, effect of LiO_2 additions on, 98
oxidation behavior, 97
oxidation behavior between 400 and 1000°C, 178
oxidation in dry air at 485 to 935°C, 178–79
preparation of single crystals of, 249

pressure bonding to Al_2O_3, 62
production of ingots by electron-beam melting, 60
radiation damage, effect of cold working on, 44
relative partial molar enthalpy in liquid Pu, 3
solubility in liquid Ga–Pu alloys, 158–59
solubility in liquid Li and K, 185
solubility in liquid Pu, 3
strain-aging of electron-beam refined, effect of O_2 content on, 45–46
thermodynamic analysis of the solid solution of C, N_2, and O_2 in, 123
Niobium (polycrystalline)
effect of irradiation on yield stress of, 43
Niobium alloys
(see also Cb-132M, Cb-752, C-129Y, DH-242, F-48, FS-85, Inconel 600, Inconel 625, Inconel 718, Multimet, TZM alloys (Nb–TZM), and XB-88)
development of fused-silicide coatings for, 250–51
fusion welds, hot cracking in, 251–52
interaction with active gases in vacua and inert gas environments, 97–98
metallographic features of electron-beam-melted ingots of, 141
Niobium alloys (Cr–Nb–Zr)
creep properties in air, 48–49
development, 48–49
effect of irradiation on tensile properties of annealed, 34–35
Niobium alloys (Cu–Nb–Zr)
in-pile relaxation behavior, 34
Niobium alloys (Hf–Nb–Ti–Zr)
high-temperature strength properties, 45
Niobium alloys (Hf–Nb–W–Zr)
high-temperature strength properties, 45
Niobium alloys (Mo–Nb)
deformation of single crystals, effect of composition, orientation, and temperature on, 44–45
Niobium alloys (Nb–Sn–Zr)
corrosion by steam, effects of radiation on, 177
Niobium alloys (Nb–Ta)
corrosion by K_2CO_3 solutions, 179
oxidation from 550 to 1050°C, 27
Niobium alloys (Nb–Ta–W)
rupture strength, effect of metallic carbide and boride additions on, 45
Niobium alloys (Nb–Ti–V)
creep and stress-rupture properties of, effect of Ti content on, 123
Niobium alloys (Nb–Ti–Zr)
ductility of electron-beam-melted ingots of, 141–42
Niobium alloys (Nb–W)
rupture strength, effect of metallic carbide and boride additions on, 45
self-diffusion of Nb in, 133
Niobium alloys (Nb–TZM)
stress-rupture strength, effect of fabrication variables on, 122
Niobium alloys (Nb–U)
coating with Nb, 251
tensile properties, effect of temperture on, 232
Niobium alloys (Nb–U–Zr)
corrosion by H_2O, effect of composition and heat-treating on, 232
Niobium alloys (Nb–V)
oxidation in air at 500–900°C, 179
Niobium alloys (Nb–V–Zr)
oxidation in air at 500–900°C, 179
Niobium alloys (Nb–Zr)
adsorption-rate sticking probabilities for O_2 on, 179
brazing, 68
brazing to Al_2O_3, 215
compatibility with PuN–UN systems, 78
compatibility with PuO_2–UO_2 systems, 78
corrosion by liquid Ce, 186
corrosion by liquid K, 102–3, 185–86
corrosion by liquid Rb, 186
corrosion by liquid Na, 28, 182
corrosion by steam, effects of radiation on, 177
creep properties, effects of irradiation on, 109
development, 48–49
ductility of electron-beam-melted ingots of, 141–42
evaluation as fuel-cladding materials for the LMFBR, 29
in-pile creep tests on, 33–34
oxidation in air at 500–900°C, 179
oxidation in dry air at 485 to 935°C, 178–79
strain rate dependence of the tensile flow stress of, 45
tensile properties of, effect of H_2 on, 118–19
yield strength, effect of irradiation on, 187
Niobium alloys (NbC)
yield strength of, 127, 130
Niobium boride (NbB_2)
compatibility with Re, 123–24
diffusion in, frequency factors and activation energies for, 51
preparation from Nb_2O_5, 125–26
Niobium carbide
diffusion in, frequency factors and activation energies for, 51
Niobium carbide (NbC)
compatibility with various refractory metals, 123–24
elastic properties, 205
integral and partial configuration entropies for solid solutions of, 127
preparation of ultrafine particles of, 124–25
microhardness, effect of stoichiometry on, 127, 129
structure and hardness, effect of high pressure on, 204
Niobium carbide composites (NbC–C)
thermal expansion, 204
Niobium carbide composites (NbC–graphite)
mechanical and physical properties, 202–3
Niobium carbide systems (NbC–TaC–VC)
miscibility gaps in, 126
Niobium composites (HfC–Nb)
melting temperature, 204
Niobium oxide
diffusion in, frequency factors and activation energies for, 51
Niobium oxide (NbO)
preparation of single crystals of, 249
Niobium oxide (Nb_2O_5)
corrosion of powdered by diphenyl, 103–4
diffusion of O_2 in, 27
Niobium systems (Al–Hf–Nb–N–Ti–W–Zr)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Niobium systems (H–Nb)
phase studies, 93, 243–44
Niobium systems (Nb–O)
phase studies, 45
Nitrides
(see also specific nitrides)
properties of plasma sprayed, 126
Niobium systems
(see D-43, SU-16, and Vanstar-9)
Nitrogen systems (Al–Hf–Nb–N–Ti–W–Zr)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Nitrogen systems (C–N–Pu)
studies, 77
Nitrogen systems (C–N–U)
studies, 77
Nitrogen systems (N–Th–U)
phase studies, 78
Nitrogen systems ((Pu,U)–C–N)
studies, 77
Nondestructive testing
acoustic-emission techniques, 69–70, 152, 217–18
eddy current, 69, 152, 217–18, 254
graphite, symposium on, 17
radiography, 218, 254–55
ultrasonic techniques, 68–69, 151–52, 217, 254

O

Oxygen
solubility in Th, 230
solubility in V, 30
Oxygen systems (C–N–O–U)
phase studies, 81
Oxygen systems (C–O–Pu)
phase studies, 77
Oxygen systems (C–O–Th)
phase studies, 81
Oxygen systems (Nb–O)
phase studies, 45
Oxygen systems (O–Pu)
liquid-miscibility gap at 2500°C, 160
metallographic and X-ray investigations in, 75
Oxygen systems (O–Pu–U)
metallographic and X-ray investigations in, 75

P

Phosphorus alloys (P–U)
grain-refining effects and transformation kinetics of, 73–74
Plating
chemical, 63–64, 145–47, 212–13, 250–51
electrolytic, 64, 213–14
Platinum
electron-beam floating-zone-melting apparatus for rods of, 249
Plutonium
alpha–beta transformation studies, 228, 230
electrical conductivity, effect of pressure on, 230
oxidation behavior between 350 to 420°C, 230
plastic deformation of alpha, effect of temperature and strain rate on, 74–75, 230
production from oxides, single unit process for, 4
self-diffusion studies, 133
Plutonium (liquid)
relative partial molar enthalpies of Cr, Mo, Nb, Ta, Tm, W, and V in, 3

solubility of Cr, Mn, Mo, Nb, Tm, Ti, and V in, 3
solubility of Mn in, 158
solubility of Ti in, 158
Plutonium alloys
phase diagrams and crystal structure of, 160
Plutonium alloys (Al–Pu)
diffusion in, 159
Plutonium alloys (Ce–Co–Pu)(liquid)
irradiation studies, 3
Plutonium alloys (Ce–Pu)
Ce diffusion in, 75, 133
thermal conductivity, 230
Plutonium alloys (fissium–Pu–U)
high-burnup properties, 75
Plutonium alloys (Ga–Pu)
Ga diffusion in, 75
growth of large crystals by using a modified Bridgeman technique, 2
solubility of Nb in, 158–59
solubility of Nb in liquids, 158–59
thermal conductivity, 230
Plutonium alloys (Hf–Pu)
phase diagram, 159–60
Plutonium alloys (Pb–Pu)
identification of $PuPb_3$, Pu_3Pb, Pu_5Pb_3, $PuPb_2$, and Pu_5Pb_4 in, 75
Plutonium alloys (Mo–Pu–U)
fabrication in fuel elements for the Zero Power Plutonium Reactor, 249
Plutonium alloys (Pu–Pr)
phase diagram, 159
Plutonium alloys (Pu–Sm)
phase diagram, 159
Plutonium alloys (Pu–Th–U)
solid solubility properties, 75
Plutonium alloys (Pu–Ti–U)
high-burnup properties, 75
Plutonium alloys (Pu–U)
irradiation swelling, effect of temperature, pressure, burnup, and composition on rate of, 4
Plutonium alloys (Pu–U–Zr)
high-burnup properties, 75
preparation by induction melting, crucible coatings for, 2–3
Plutonium alloys (Pu–Zr)
phase studies, 3
Plutonium alloys (Na–Pu)
phase diagram, 159
Plutonium carbide (PuC)
creep properties, 161–62
free energy of formation of, 77
irradiation behavior, literature survey on, 6
properties, literature survey on, 6
Plutonium carbide (PuC_2)
crystal structure, 162
Plutonium carbide (Pu_2C_3)
free energy of formation of, 77
irradiation behavior, literature survey on, 6
properties, literature survey on, 6
Plutonium carbide mixtures (PuC–Pu_2C_3)
vapor pressures of Pu from 1375 to 2000°K, 77
Plutonium carbide systems (PuC–UC)
compatibility with 316 stainless steel, 161–62
compatibility with 316L stainless steel, effect of Mo addition on, 162
compatibility with Cr–Ti–V alloy, 161–62
compatibility with various cladding materials, 6, 78
irradiation behavior, literature survey on, 6
irradiation swelling, 162
Pu losses during arc-melting, 6
preparation by the metal-methane fluidized-bed process, composition of, 6
preparation of single phase by arc-melting and hydrogen-treatment process, properties of, 6
properties, literature survey on, 6
thermal conductivity, 224
Plutonium carbide systems (PuC_2–UC_2)
phase diagram, 224–25
Plutonium carbide systems (Pu,U)C
compatibility of Na bonded with 316 stainless steel, 100–1
preparation by arc-melting, composition of, 7
Plutonium carbides
thermodynamic properties, 77
vaporization data, 77
Plutonium chloride ($PuCl_3$)
free energy of formation of, 77
Plutonium fluoride (PuF_4)
production from PuO_2, 75
Plutonium fluorides (PuF_3)
conversion to PuO_2, 4
Plutonium hydroxide
electrodeposition of, 64
Plutonium intermetallic compounds ($PuPb_2$)
identification in Pu–Pb alloys, 75
Plutonium intermetallic compounds ($PuPb_3$)
identification in Pu–Pb alloys, 75
Plutonium intermetallic compounds (Pu_3Pb)
identification in Pu–Pb alloys, 75
Plutonium intermetallic compounds (Pu_5Pb_3)
identification in Pu–Pb alloys, 75
Plutonium intermetallic compounds (Pu_5Pb_4)
identification in Pu–Pb alloys, 75
Plutonium intermetallic compounds ($PuRu_2$)
free energy of formation of, 77
Plutonium intermetallic compounds (Pu_3Zn_{22})
crystal structure, 75
Plutonium nitride (PuN)
compatibility with various cladding materials, 7
free energy of formation of, 77
Gibbs free energy of formation, 7
melting behavior as functions of temperature and N pressures, 77–78
thermodynamic properties, 7
vapor pressure, 7
Plutonium nitride systems (P,U)N
compatibility with Incoloy 800, 162
fission gas release studies, 162
irradiation swelling, 162
melting behavior, 162
nitrogen interaction, effect of irradiation on, 225
thermal conductivity, 7
vaporization, 225
Plutonium nitride systems (PuN–UN)
compatibility of Na bonded with 304 stainless steel, 7
compatibility with various cladding materials, 7, 78
irradiation behavior, 7
melting behavior as functions of temperature and N pressures, 77–78
vapor pressure, 7
Plutonium oxide (PuO)
heat of sublimation, 4–5
Plutonium oxide (PuO_2)
conversion to PuF_4, 75
dissolution methods, 4
effect of aging on the crushing strength of microspheres made by the plasma technique, 76
heat capacity of, 4
heat of sublimation, 4–5
He release from plasma spheres from 600 to 1200°C, 76
irradiation performance in BR-5, 167
irradiation swelling of pellets, 77
lattice parameter of microspheres, effect of self-irradiation damage on, 76
outgassing characteristics of, 160
plastic flow of irradiated, 160
preparation of microspheres by the sol-gel process, 76
preparation of ^{17}O and ^{18}O depleted, 223
preparation of particles by the sol-gel process, 76
preparation of spherical particles of, 4
production from PuF_3, 4
reaction of microspheres with soils, 76
release of gaseous fission products from, 77
removal of fine particulate oxide from microspheres by an elutriation process, 76
thermal diffusivity, 4
vapor-pressure isotherms of substoichiometric, 76
Plutonium oxide (Pu_2O_3)
plastic flow of irradiated, 160
Plutonium oxide systems (Lu_2O_3–PuO_2)
phase studies, 77
Plutonium oxide systems (PuO_2–ThO_2)
application as isotropic heat-source material, 77
preparation of microspheres by the sol-gel process, 76
sintering studies, 6
thermal conductivity of irradiated, 161
Plutonium oxide systems (PuO_2–UO_2)
compatibility with Ta, 224
compatibility with vanadium alloys, 161
compatibility with various clad-
compatibility with various claddings, 77–78, 224
densities of sol-gel prepared pellets of, 223
fabrication by hot pressing, 160
fabrication of pellets, 223
gas-release behavior of irradiated, effect of stoichiometry on, 161
irradiation performance of 304L stainless steel clad, 223
liquidus–solidus curves for, 224
melting heat rating of, effect of stoichiometry on, 5–6
microstructure of irradiated, effect of stoichiometry on, 161
physical and thermal properties, 75–76
preparation of microspheres by the sol-gel process, 76
preparation of pellets for FFTF fuel, 4
preparation of spheres by the sol-gel process, 160
preparation of spherical particles of, 5
shear modulus, 5
solid-fission-product behavior in, 167, 224
thermal conductivity, 5
thermal conductivity, effect of stoichiometry on, 160–61
Young's modulus, 5
Plutonium oxide systems (PuO_2–UO_2–ZrO_2)
burnup studies, 77
melting point, 77
phase studies, 77
Plutonium oxide systems (PuO_2–ZrO_2)
application as isotropic heat-source material, 77

phase studies, 224
Plutonium oxide systems (Pu,U)O_2
reduction by liquid Na containing various amounts of O_2, 100
reduction to Pu, single unit process for, 4
Plutonium phosphate (PuP)
heat capacity, 78
thermal conductivity, 78
Plutonium systems (C–N–Pu)
studies, 77
Plutonium systems (C–O–Pu)
phase studies, 77
Plutonium systems (C–Pu)
phase studies, 161, 224
vapor-pressure studies, 162
Plutonium systems (O–Pu)
liquid-miscibility gap at 2500°C, 160
metallographic and X-ray investigations in, 75
Plutonium systems (O–Pu–U)
metallographic and X-ray investigations in, 75
Plutonium systems (Pu–Th–U)
phase studies, 231
Plutonium systems ((Pu,U)–C–N)
studies, 77
Plutonium sulfide (PuS)
heat capacity, 78
thermal conductivity, 78
Poland
powder-metallurgy developments in, 61
Potassium (liquid)
corrosive properties, 30, 101–3, 185–86
solubility of Hf, Mo, Nb, Re, Ta, and Zr in, 185
solubility of V in, 185
Potassium (vapor)
corrosive properties, 30
Potassium bromide (KBr)
trapping of Xe in, effect of bombardment temperature on, 167
Powder metallurgy, 61–62, 143–45, 211–12, 248
Praseodymium alloys (Pu–Pr)
phase diagram, 159
Pressure bonding, 62–63
Pressure vessels
corrosion of EBWR, 177–78
Promethium oxide
explosive forming, 251
Pyrex glass
diffusion of D_2 in, 199–200
Pyrolytic carbon
(see Graphite (pyrolytic))
Quartz
coating with Ir and Ta, 63

R

Radiography
literature survey of neutron, 218
Rare-earth oxides
diffusion of metals in, 53
diffusion of O_2 in, 53
Reactor control rods
performance of Eu_2O_3–stainless steel dispersion, 176
Reactor fuel elements
(see also specific materials use as fuel elements)
fabrication for Masurca Reactor, 160
radiation swelling, 221
Reactor pressure vessels
production from prestressed concrete, 205
Reactors (Dresden)
fuel-element corrosion, 96
Reactors (EBWR)
pressure-vessel corrosion studies, 177–78
Reactors (FFTF)
preparation of PuO_2–UO_2 fuel particles for, 4
Reactors (Fort St. Vrain)
use of concrete pressure vessel in, 205
Reactors (LMFBR)
fuel-cladding materials for, 29
Reactors (Masurca)
fuel-element fabrication, 160
Reactors (MOSEL)
survey of structural materials for, 32
Reactors (Plutonium Recycle Test)
corrosion and wear studies on Al, stainless steel and Zircaloy, 27
Reactors (PM-2A)
fracture strength of pressure vessel, effect of irradiation on, 112–12
Reactors (PNPF)
corrosive effects of the terphenyl coolant, 31
Reactors (water cooled)
metal–water reactions during loss-of-coolant accidents, 32
Refractor carbides
(see also specific refractory carbides)
diffusion studies, 196–97
high-temperature mechanical properties of, 127
Rhenium
compatibility with various carbides, 123–24
diffusion in W, 133–34
diffusion of C in, 198
lattice parameters of single crystals, effect of irradiation on, 113
oxidation from 1127 to 2227°C at low-oxygen pressures, 27
oxidation of powders in 20°C air, effect of humidity on, 98
solubility in liquid Li and K, 185
Rhenium alloys (Mo–Re)
compatibility with various carbides, 123–24
Rhenium alloys (Mo–Re–W)
electron-beam welding to T-111, 64–65
Rhenium alloys (Re–W)
chemical-vapor deposition of sheets of, 250
chemical-vapor deposition of tubes of, 250
deformation at high temperatures, 202
mechanical properties of arc-melted, 122
preparation of tubes from, 63
tensile properties of sintered, 123
tensile properties of wrought recrystallized, 123
thermal conductivity, 200–1
Rhenium alloys (Ta–Re)
yield strength, work hardening and cleavage in, 45
Rhenium cermets (Mo–Re–HfC)
properties of, 124–25
Rhenium cermets (Mo–Re–ZrC)
properties of, 124–25
Rhenium systems
(see ASTAR 811C)
Ruthenium
diffusion beta Zr, 134
Ruthenium intermetallic compounds ($PuRu_2$)
free energy of formation of, 77

S

S-1
corrosion by liquid Na, 180
effects of irradiation on tensile properties of, 40–41
Samarium alloys (Pu–Sm)
phase diagram, 159
Samarium oxide systems (HfO_2–Sm_2O_3)
phase studies, 23
Samarium oxide systems (Sm_2O_3–ZrO_2)
phase studies, 23
SANDVIK 12R72HV
stress–rupture properties at 700°C, 194–95
Santowax OM
fretting and wear effects on SAP- and Zircaloy-clad UO_2, 31–32
oxidation tests, 31
SAP
embrittlement, effect of He on, 110
explosive welding to Zircaloy-2, 214
preparation of powders of, 248
welding, 67
SAP 865
cyclic-strain fatigue behavior of, 116–17
SAP-895
mechanical properties at high temperatures, effect of Al_2O_3 particle distribution in, 196
mechanical properties, effects of transverse extrusion on, 61
SAP 930
cyclic-strain fatigue behavior of, 116–17
Sapphire wool
thermal properties, 54–55
Silicon
preparation of single crystals of, 249
Silicon carbide (SiC)
mechanical properties of chemical vapor deposited, 205
Silicon carbide (SiC)(pyrolytic)
effects of neutron irradiation on, 205
properties of fluidized-bed deposited, 130
Silicon oxide (SiO_2)
reaction with ThO_2, 164–65
Silicon systems
(see Aluminum alloy (2024-T3) and Monel 400)
Silicon systems (Al–C–Fe–Si–U)
precipitation of UAl_2 from 350 to 500°C, kinetics of, 73–74
Silicon systems (Al–C–Fe–Si–U)(Zircaloy-2 clad)
corrosion of beta heat-treated by water at 282°C, 73
Silicon systems (Al–C–Si–U)
microstructure of as-cast, 156
Silicon systems (Al–Cr–Si–U)
irradiation swelling, 83–84
Silicon systems (Al–Fe–Si–U)
alpha-to-beta transition temperature, 73
microstructure of as-cast, 156
structural properties, 73
Silicon systems (Al–Mo–Si–U)
irradiation swelling, 83–84
Silicon systems (Al–Si–U)
microstructure of as-cast, 156
Silicon systems (C–Fe–Si–U)
microstructure of as-cast, 156
Silicon systems (C–Si–U)
microstructure of as-cast, 156
Silicon systems (Cu–Si)
effect of irradiation on elevated-temperature ductility of, 38
Silicon systems (Fe–Si–U)
microstructure of as-cast, 156

Silicon systems (Si–O)
phase studies of, 132
Silicon systems (Si–U)
analysis of precipitates in, 156
delta peritectoidal reaction in, effect of C on, 2
grain-refining effects and transformation kinetics of, 73–74
microstructure of as-cast, 156
structure, effect of fabrication and heat-treatment variables on, 158
Silver
diffusion of H_2 in, activation energy for, 199
deposition on metals by evaporation-abetted bias sputtering, 63
Silver alloys (Cd–In–Ag)
performance as control-rod material, 245
Sodium (liquid)
compatibility with B_4C, 244–45
corrosive properties, 28–30, 98–101, 180–85
reaction with UO_2, 83
solubility of Ce in, 101
solubility of Cu in, 29
solubility of C in, 184–85
solubility of Fe in, 184
solubility of Ni in, 184
solubility of N_2 in, 29–30
solubility of O_2 in, 101–2
solubility of Ag in, 101
solubility of Zn in, 101
Solids
rare-gas behavior in, 223
stability of gas bubbles in, 221–22
Special fabrication techniques, 60–70, 141–52, 210–18, 248–55
Stainless steels
compatibility with Cr- and V-stabilized UC, 10
corrosion by Na–H_2O reaction products, 181
corrosion by seawater, 27
corrosion and wear surveillance in the PRTR, 27
diffusion of Fe in, 53
effects of irradiation on, review of, 187
explosive bonding to Pb, 64
in-pile creep tests on, 33–34
permeation and diffusion of N, O, and rare gases through, 53
reaction with H_2O during loss-of-coolant accidents in light-water power reactors, 32
wetting by liquid Na, 181–82
Stainless steels (16/13 CrNi)
irradiation embrittlement of, effect of cold-working and thermomechanical treatment on, 106
rupture properties, effect of irradiation on, 106–7
Stainless steel (17-4PH)
effect of irradiation on the impact properties of, 39–40
electrical-discharge and electrochemical machining of, effect on fatigue endurance limit of, 194
Stainless steel (20/25 CrNi)
rupture properties, effect of irradiation on, 106–7
Stainless steel (304)
biaxial-stress-rupture in high-purity liquid Na, 29
compatibility with PuN–UN systems, 7, 78
compatibility with PuO_2–UO_2 systems, 78, 224
corrosion by fuel pastes of Na–UC, Na–UN, and Na–UO_2, 182
corrosion by H_3BO_3–NaOH solutions, 95
corrosion in high-temperature water, 178
corrosion by liquid Na, 28, 98–99, 181
corrosion in liquid Na, 98–99
creep measurement during irradiation, 188–89
ductility of irradiated, 188–89
effect of annealing on yield strength of irradiated, 35
effect of irradiation on yield strength of, 34–35
electrical-discharge and electrochemical machining of, effect on fatigue endurance limit of, 194
electron-beam welding, 65
evaluation as fuel-cladding materials for the LMFBR, 29
mechanical properties, 194
plasma/electron-beam welding, 65
pseudomorphs in irradiated, 192
radiation-induced cavities in, 108
radiation-induced embrittlement, 37–38
radiation-induced embrittlement of fine grained, 37
radiation-induced volume change in, 107–8
radiation swelling, 108–9
rupture properties, effect of irradiation on, 106
solubility of nitrogen in, 119–20
strain–stress properties of irradiated, 106–7
stress corrosion in boiling HNO_3–$Fe_2(SO_4)_3$–H_2SO_4, effect of explosive shocking on, 178
stress–corrosion cracking in 100-psi water, inhibition by phosphate additions, 26
stress–corrosion cracking in boiling $MgCl_2$, effect of explosive shocking on, 178
stress–rupture properties of irradiated, 187–88
stress–rupture properties in liquid Na, 181
tensile properties of cold worked and annealed after fast reactor irradiation of, 106
tensile properties of, effect of irradiation on, 106–7
use as PuC–UC cladding, compatibility studies, 6
wear resistance, improvement of, 194
Stainless steel (304L)
distribution of voids in irradiated foils, effect of thickness on, 191–92
evaluation as fuel-cladding materials for the LMFBR, 29
hydrogen embrittlement, 120, 178
wetting by liquid Na, 182
Stainless steel (310)
corrosion by high-temperature steam, properties of film formed on, 26
hydrogen embrittlement, 120, 178
properties of, effect of exposure to high temperature steam on, 119
stress corrosion in boiling HNO_3–$Fe_2(SO_4)_3$–H_2SO_4, effect of explosive shocking on, 178
stress–corrosion cracking in boiling $MgCl_2$, effect of explosive shocking on, 178
Stainless steel (316)
biaxial-stress-rupture in high-purity liquid Na, 29
brazing to Ta, 68
cavitation damage in H_2O, 95
compatibility with PuC–UC fuels, 78, 161–62
compatibility with PuN–UN, 7
compatibility with PuO_2–UO_2, 224
corrosion by H_3BO_3–NaOH solutions, 95
corrosion by liquid K, 185–86
corrosion by liquid Na, 98–99, 180
corrosion by liquid NaK, 99
effect of annealing on yield strength of irradiated, 35
effect of C content on postirradiation elongation of, at 700°C, 36
effect of C content on radiation-induced embrittlement of, 36
effect of irradiation on creep rates, 36–37
effect of irradiation on yield strength of, 34–35
evaluation as fuel-cladding materials for the LMFBR, 29
mechanical properties, 194
properties of, effect of exposure to high temperature steam on, 119
rupture properties, effect of irradiation on, 106–7
stress–rupture properties of irradiated and unirradiated, 36
stress–rupture properties in liquid Na, 181
tensile properties of, effect of irradiation on, 187–88
Stainless steel (316L)
ductility of irradiated, 188–89
radiation-induced volume change in, 108–9
Stainless steel (318)
corrosion by liquid K, 30
Stainless steel (321)
compatibility with PuO_2–UO_2, 224
corrosion by liquid Na, 28
corrosion by liquid Na, effect of temperature on, 181
electron-beam welding to Kovar, 365
evaluation as fuel-cladding materials for the LMFBR, 29
mechanical properties, 194
properties of, effect of exposure to high temperature steam on, 119
radiation-induced volume change in, 107–8
welding to Kovar, 253
Stainless steel (347)
brazing to fuel plates, 215
compatibility with PuO_2–UO_2, 224
corrosion in liquid Na, 98–99
effect of He bubbles on grain-boundary weakening and embrittlement in irradiated, 35–36
effect of irradiation on elevated-temperature ductility of, 36
evaluation as fuel-cladding materials for the LMFBR, 29
mechanical properties, 194
properties of, effect of exposure to high temperature steam on, 119
radiation-induced volume change in, 107–8
stress–rupture properties at 700°C, 194–95
stress-rupture properties of irradiated, 37
Stainless steels (348)
effect of irradiation on yield strength of, 34–35
evaluation as fuel-cladding materials for the LMFBR, 29

tensile properties of cold worked and annealed after fast reactor irradiation of, 106
Stainless steel (403)
impact strength, effect of irradiation on, 189–90
Stainless steel (405)
tensile properties, effect of He impregnation on, 107
Stainless steel (Al–Cr–Fe–Y)
corrosion by CO_2 at 800 to 1000°C, structure and composition of film formed on, 25–26
Stainless steel (Cr–Mo–Ni)
transition temperature of temper-embrittled and nonembrittled, effect of irradiation on, 111
Stainless steel (Cr–Ni)
welding to Cu, 252–53
Stainless steel (Cr–Ni–Ti)
effect of irradiation on elevated-temperature ductility of, 38
Stainless steels (austenitic)
growth of $M_{23}C_6$ particles at grain boundaries of, 119
in-pile creep tests on, 33–34
mechanical properties, effect of Nb additions on, 194
Stainless steels (Oak Ridge)
compatibility with PuN–UN, 7
Stainless steel dispersions (Eu_2O_3–stainless steel)
performance as control-rod material in SM-1A Reactor, 176
Steam
bonding to Al and Ti by use of explosive-welded inserts, 64
erosive effects on turbine buckets, 30
reaction with UO_2, 83
Steel
corrosion by Freon-11, 95
diffusion welding to Zr, 215
explosive forming, 64
Steel (0.3C–3Mo–Cr)
isothermal tempering characteristics of, effect of Cr content on, 195
Steel (7.5 Ni–Cr–Mo)
evaluation as pressure-vessel materials, 195
Steel (12Ni–5Cr–3Mo)
evaluation as pressure-vessel materials, 195
Steel (15Mo3)
radiation-induced embrittlement, 38–39
Steel (17Cr–2Ni)
corrosion by Freon-11, 95
Steel (1015)
corrosion-fatigue behavior in H_2O and NaCl solutions, 97
Steel (A-212B)
radiation-induced increase in yield strength, effect of C content on, 44
Steel (A-286)
creep rate of irradiated, effect of He content on, 188–90
Steel (A-302B)
effect of Cu and P content on the radiation-induced NDT, 41–42
irradiation embrittlement, 191
Steel (A-350LFI)
annealing of radiation-induced shift in the NDT of, 42
irradiation embrittlement, 191
Steel (A-533B)
irradiation embrittlement, 191
Steel (A-533C)
irradiation embrittlement, 191
Steel (A542)
strength, effect of welding on, 50
Steel (AS17A)
strength, effect of welding on, 50
Steel (AS17E)
strength, effect of welding on, 50
Steel (AS17F)
strength, effect of welding on, 50
Steel (ASTM A-20063T)
creep properties, effect of intermittent thermal cycling on, 195–96
Steel (austenitic)
corrosion by high-temperature steam, properties of film formed on, 26
Steel (carbon)
corrosion in high-temperature water, 178
corrosion by H_2O at 250°C with 0.1 ppm O_2, 96
graphitization and decarburization in liquid Na containing 30ppm O_2, 99–100
tempering of quenched, effect of irradiation on, 112–13
Steel (C–Mo)
effect of high-velocity steam on tube bends of, 96
Steel (Cr–Fe)
radiation-induced embrittlement, 38–39
Steels (Cr–Mo)
corrosion by Hg, 186
performance of tubes exposed to high-pressure steam, 120–21
Steel (Cr–Mo–Ni)
effect of irradiation on welded joints of, 42–43
Steel (Cr–Mo–Nb–V)
creep-rupture properties, effect of tempering temperature and C and B content of, 50
Steels (Cr–Mo–Si)
performance of tubes exposed to high-pressure steam, 120–21
Steels (Cr–Mo–Ti)
performance of tubes exposed to high-pressure steam, 120–21
Steel (ferritic)
corrosion by high temperature steam, properties of film formed on, 26
Steel (HY80)
radiation-induced increase in yield strength, effect of C content on, 44
Steel (HY80 modified)
effect of irradiation on welded joints of, 42–43
Steel (low alloy)
corrosion by CO_2 containing small amounts of CO and H_2O, 25
stress-corrosion cracking in H_2O–Co–CO_2 system, 178
Steels (low-carbon)
boron hardenability of, effect of N, Ti, and Zr on, 121
Steel (martensitic PH13 Cr–8Mo)
evaluation as pressure-vessel materials, 195
Steel (mild)
corrosion by CO_2 containing small amounts of CO and H_2O, 25
stress-corrosion cracking in H_2O–Co–CO_2 system, 178
Steels (Mo–B)
mechanical properties of, effect of V content on, 121
Steels (pressure vessel)
(see also Steel (A-302B), Steel (A-350LFI), Steel (A-533B), Steel (A-533C), and Steel (HY80 modified))
corrosion in EBWR, 177–78
fracture strength of PM-2A, effect of irradiation on, 111–12
long-time stress-rupture tests on, 50
radiation-induced shift in ductile-to-brittle transition temperature, effect of Cu and Ni content on, 111
strength, effect of welding on, 50
Strontium
diffusion in pyrolytic graphite, 16
Structural materials, 25–55, 95–135, 177–205
Strontium-90
encapsulation for long-term storage, use of inertia welding for, 252
SU-16
development of $NbSi_2$–Fe–Cr glaze coating for oxidation protection of, 179–80
rupture strength, effect of heat treatment on, 121–22
Sulfur systems
(see Monel 400)
Systems for Nuclear Auxiliary Power (SNAP-2)
corrosion of HS-25 boiler tubes by Hg vapor, 30–31
Systems for Nuclear Auxiliary Power (SNAP-21)
corrosion of components of, by seawater, 27

T

T-111
corrosion by liquid Li, 103
corrosion by liquid K, 186
creep properties, 122
drawing into cup shapes, 61
electron-beam welding to Mo–Re–W alloy, 64–65
T-222
corrosion by liquid Li, 103, 186
Tantalum
brazing, 253
brazing to 316 stainless steel, 68
chemical deposition onto quartz plates, 63
compatibility with PuO_2–UO_2 systems, 224
corrosion by liquid K containing various amounts of dissolved O_2, 101–2
corrosion of TIG welds in tubing of by NaK alloy, 183
creep properties, 46
creep–rupture properties from 1000 1650°C, 122
diffusion bonding, 66–67
diffusion bonding to Nb, 66–67
diffusion in, bibliography on, 132
diffusion of C, N, and O in, frequency factors and activation energies for, 51
diffusion of He in, 199
diffusion of W in, 198
effect of irradiation on carbide coatings on, 130
electron-beam floating-zone-melting apparatus for rods of, 249
hardness, effect of irradiation on, 110–11
interaction with active gases in vacua and inert gas environments, 97–98
oxidation in air, effect of LiO_2 additions on, 98
oxidation studies, 27–28
pressure bonding to graphite, 62

radiation damage, effect of cold working on, 44
reaction with CO, 179
relative partial molar enthalpy in liquid Pu, 3
solubility in liquid Li and K, 185
strain-aging of electron-beam refined, effect of O_2 content on, 45–46
thermodynamic analysis of the solid solution of C, N_2, and O_2 in, 123
welding to Cu, 252–53
Tantalum alloys
(see also DH-242, FS-85, T-111, and T-222)
development of fused-silicide coatings for, 250–51
interaction with active gases in vacua and inert gas environments, 97–98
Tantalum alloys (Al–B–Cr–Hf–Ta)
oxidation in air at high temperatures, 178
Tantalum alloys (Al–Hf–Ta)
high-temperature strength properties, 45
Tantalum alloys (Al–Hf–Ta–W)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Tantalum alloys (Nb–Ta)
corrosion by K_2CO_3 solutions, 179
oxidation from 550 to 1050°C, 27
Tantalum alloys (Nb–Ta–W)
rupture strength, effect of metallic carbide and boride additions on, 45
Tantalum alloys (Ta–Re)
yield strength, work hardening and cleavage in, 45
Tantalum alloys (Ta–W)
brazed joints of, shear strength of, 215–16
creep–rupture properties from 1000 to 1650°C, 122
oxidation in air, effect of LiO_2 additions on, 98
oxidation behavior of W–Si coated, 180
Tantalum boride
diffusion in, frequency factors and activation energies for, 51
Tantalum boride (TaB_2)
compatibility with various refractory metals, 123–24
preparation from Ta_2O_5, 125–26
shrinkage behavior of power compacts in vacuum at 1100 to 2100°C, 23
Tantalum carbide (TaC)
compatibility with various refractory metals, 123–24
diffusion in, frequency factors and activation energies for, 51
elastic properties, 205
integral and partial configuration entropies for solid solutions of, 127
microhardness of, effect of stoichiometry on, 127, 129
preparation of ultrafine particles of, 124
structure and hardness, effect of high pressure on, 204
thermodynamic properties, 127–28
yield strength of, 127, 130
Tantalum carbide systems (NbC–TaC–VC)
miscibility gaps in, 126
Tantalum composites (HfC–Ta)
melting temperature, 204
Tantalum nitride (TaN)
preparation from Ta and nitrogen plasma, 126
preparation of ultrafine particles of, 125
Tantalum oxide
diffusion in, frequency factors and activation energies for, 51
Tantalum oxide (Ta_2O_5)
corrosion of powdered by diphenyl, 103–4
Tantalum systems
(see ASTAR 811C and T-222)
Tantalum systems (C–Hf–Ta–W–Zr)
oxidation in air, formation of protective coating during, 180
Tantalum systems (H–Ta)
phase diagrams, 243–44
TD-nickel
brazing, 68
oxidation behavior of, effects of stress, thermal cycling, and isothermal exposure on, 97
TD nickel-Cr
corrosion by air at 1000°C, 26–27
Technetium
electrodeposition of thin films on metal surfaces, 80
Technetium alloys (Tc–V)
phase studies, 46
Terphenyl
corrosion effects in the PNPF, 31
thermal decomposition experiments on irradiated and unirradiated, 31
Testing
nondestructive techniques, 68–70, 151–52, 217–18, 254–55
Thallium
deposition on metals by evaporation-abetted bias sputtering, 63
relative partial molar enthalpy in liquid Pu, 3
solubility in liquid Pu, 3
Thorium
diffusion of C, N_2, and O_2 in, 51–52, 162
refining by the iodide process, 8
solubility in liquid Bi, 185
solubility of O_2 in, 231
summary of fuel technology, 78
Thorium alloys
summary of fuel technology, 78
Thorium alloys (Fe–Th)
cracking during fusion welding, effect of Mo addition on, 162
Thorium alloys (Pu–Th–U)
solid solubility properties, 75
Thorium alloys (Th–U)
irradiation performance in NaK at 785°C, 166
Thorium alloys (Th–U–Zr)
irradiation swelling, 7–8
Thorium boride
diffusion in, frequency factors and activation energies for, 51
Thorium carbide
diffusion in, frequency factors and activation energies for, 51
Thorium nitride (ThN)
free energy of formation at 1000°C, 78
Thorium oxide
compatibility with various refractory metals, 123–24
diffusion in, frequency factors and activation energies for, 51
diffusion of Th in, 80
Thorium oxide (ThO_2)
diffusion of U in, 53
electrodeposition of thin films on metal surfaces, 80
preparation of SiC coated particles of, 8–9
reaction with Al_2O_3, BeO, CeO_2, MgO, SiO_2, TiO_2, and ZrO_2, 164–65
sintering, application of a microwave-stimulated electrodeless gas discharge to, 55
thermal conductivity of powdered, 163
trapping of Xe in, effect of bombardment temperature on, 167
Thorium oxide systems (PuO_2–ThO_2)
application as isotropic heat-source material, 77
preparation of microspheres by the sol-gel process, 76
sintering studies, 6
thermal conductivity of irradiated, 161
Thorium oxide system (Th–ThO_2)
phase diagram, 163–64, 231
Thorium oxide systems (ThO_2–UO_2)
diffusion of U in, 53
Thorium oxide systems ((Th,Pu)O_2)
thermal stability of particles of, 77
Thorium systems (C–O–Th)
phase studies, 81
Thorium systems (N–Th–U)
phase studies, 78
Thorium systems (Pu–Th–U)
phase studies, 231
Thorium systems (Th–ThO_2)
phase diagram, 163–64, 231
Timken alloy (16-15-6)
use as PuC–UC cladding, compatibility studies, 6
Timken alloy (16-25-6)
use as PuC–UC cladding, compatibility studies, 6
Tin
preparation of single crystals of, 249
Tin (liquid)
solubility of C in, 185
Tin alloys
(see Zircaloy-2 and Zircaloy-4)
Tin alloys (Nb–Sn–Zr)
corrosion by steam, effects of radiation on, 177
Titanium
bonding to steel by use of explosive-welded inserts, 64
corrosion by Freon-11, 95
crevice corrosion by bromide, chloride, iodide, and sulfate solutions, 27
diffusion in, bibliography on, 132
diffusion of C, N, and O in, frequency factors and activation energies for, 51
diffusion of Cr and Cu in, 134
diffusion of Cr, Fe, and W in, 198
production of ingots by electron-beam melting, 60
self-diffusion in, 52
solubility in liquid Pu, 3, 158
Titanium alloy (811)
casting, use of high-temperatures in, 210
Titanium alloys
(see also Inconel 718, Nimonic 105, SANDVIK 12R7 2HV, TZM molybdenum, and Udimet 700)
explosive forming, 64
Titanium alloys (Al–Ti–V)
diffusion welds in, effect of welding temperature and pressure on strength of, 252
Titanium alloys (Cr–Ti)
diffusion of Cr, Fe, and W in, 198
Titanium alloys (Cr–Ti–V)
burst properties of tubes, effect of irradiation on, 110
compatibility with PuC–UC fuels, 161–62
compatibility with PuO_2–UO_2 systems, 78
corrosion by liquid Na, 28
preparation of high purity, 60
preparation of ingots of, 210–11

Titanium alloys (Hf–Nb–Ti–Zr)
high-temperature strength properties, 45
Titanium alloys (Fe–Ti)
reaction with H_2, 244–45
Titanium alloys (Mo–Ti–Zr)
corrosion by liquid Na, 28
Titanium alloys (Nb–Ti–V)
creep and stress-rupture properties of, effect of Ti content on, 123
Titanium alloys (Nb–Ti–Zr)
ductility of electron-beam-melted ingots of, 141–42
Titanium alloys (Pu–Ti–U)
high-burnup properties, 75
Titanium alloys (Ti–W)
diffusion of Cr and W in, 198
phase studies, 46
Titanium alloys (Ti–U)
tensile properties, effect of temperature on, 232
Titanium alloys (Ti–V)
compatibility with PuC–UC systems, 78
compatibility with PuO_2–UO_2 systems, 78
corrosion by liquid Na, 28
creep and stress-rupture properties of, effect of Ti content on, 123
effect of irradiation on creep properties of, 41
preparation of ingots of, 210–11
Titanium boride (TiB_2)
diffusion in, frequency factors and activation energies for, 51
irradiation damage, 22–23
oxidation behavior, 93
use as crucibles for molten Be, 61
Titanium carbide
carbon activity in nonstoichiometric, effect of composition and temperature on, 127
diffusion in, frequency factors and activation energies for, 51
use as crucibles for molten Ni, 61
Titanium carbide (TiC)
elastic properties, 205
integral and partial configuration entropies for solid solutions of, 127
microhardness of, effect of stoichiometry on, 127, 129
preparation of single crystals of, 249
preparation of ultrafine particles of, 125
structure and hardness, effect of high pressure on, 204
yield strength of, 127, 130
Titanium carbide composites (TiC-graphite)
mechanical properties, 204
Titanium carbide systems (HfC–TiC–ZrC)
miscibility gaps in, 126
Titanium carbide systems (TiC–UC)
phase studies, 227
Titanium composites (HfC–Ti)
melting temperature, 204
Titanium nitride systems (TiN–UN)
phase studies, 9–10
Titanium oxide
diffusion in, frequency factors and activation energies for, 51
Titanium oxide (TiO_2)
corrosion of powdered by diphenyl, 103–4
reaction with ThO_2, 164–65
Titanium oxide (Ti_2O_3)
preparation of single crystals of, 249
Titanium oxide systems (Cr_2O_3–TiO_2)
phase studies, 55
Titanium systems
(see Nimonic 80A, TZC, and TZM)
Titanium systems (Al–Hf–Nb–N–Ti–W–Zr)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Tophet C
corrosion by air at 1000°C, 26–27
Transmission electron microscopy
use in studying the microstructure of irradiated materials, 113–14
Tubes
explosive bonding of lined bimetallic, 214
Tungsten
adsorption and decomposition of various gases on, 28
brazing, 253
compatibility with various carbides, 123–24
corrosion by KOH solutions, 179
creep properties, 46
deformation at high temperatures, 202
deposition from WCl_6, 212
diffusion in, bibliography on, 132
diffusion in U, 133
diffusion of Mo in, 133–34
diffusion of ^{185}Nb in, 197
diffusion of Re in, 133
diffusion of Ta in, 198
dislocation etch pitting of single crystals in chloride solutions, 179
ductility of, effect of irradiation on, 111
ductility of recrystallized, effect of Tc additions on, 122–23
effect of irradiation on carbide coatings on, 130
effect of Re on the lattice solid solubility of O_2 in, 201–2
electron-beam floating-zone-melting apparatus for rods of, 249
fabrication into tubes by powder extrusion, 248
fracture strength of, effect of irradiation on, 111
fusion welds, hot cracking in, 251
high-temperatures of chemical-vapor deposited, 201
interaction with active gases in vacua and inert gas environments, 97–98
mechanical properties of arc-melted, 122
oxidation of, 179
oxidation from 1127 to 2227°C at low-oxygen pressures, 27
oxidation in air, effect of LiO_2 additions on, 98
oxidation of, effect of foreign gases on kinetics of, 179
oxidation of powders in 20°C air, effect of humidity on, 98
oxygen interaction with polycrystalline ribbin of, 98
preparation of single crystals of, 63
preparation of tubes by chemical-vapor deposition, 250
pressure bonding to graphite, 62
properties of CVD sheets, 122
radiation damage, effect of cold working on, 44
relative partial molar enthalpy in liquid Pu, 3
thermal properties, 8
Tungsten alloys
(see also C-129Y, Cb-752, FS-85, HA-25, Hastelloy C, Haynes 25, Haynes 188, L-605 superalloy, Multimet, T-111, and T-222)
interaction with active gases in vacua and inert gas environments, 97–98
Tungsten alloys (Al–Hf–Ta–W)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Tungsten alloys (B–Mo–W)
phase studies, 127
Tungsten alloys (Cr–Co–Fe–Mo–Ni–W)
tensile properties of irradiated, effect of Ti additions on, 189–90
Tungsten alloys (Hf–Nb–W–Zr)
high-temperature strength properties, 45
Tungsten alloys (Mo–Re–W)
electron-beam welding to T-111, 64–65
Tungsten alloys (Mo–W)
corrosion, chemical and galvanic, 98
Tungsten alloys (Nb–Ta–W)
rupture strength, effect of metallic carbide and boride additions on, 45
Tungsten alloys (Nb–W)
rupture strength, effect of metallic carbide and boride additions on, 45
self-diffusion of Nb in, 133
Tungsten alloys (Re–W)
chemical-vapor deposition of, 212
deformation at high temperatures, 202
mechanical properties of arc-melted, 122
preparation of tubes from, 63
tensile properties of wrought recrystallized, 123
thermal conductivity, 200–1
Tungsten alloys (Ta–W)
brazed joints of, shear strength of, 215–16
creep–rupture properties from 1000 to 1650°C, 122
oxidation in air, effect of LiO_2 additions on, 98
oxidation behavior of W–Si coated, 180
Tungsten alloys (Ti–W)
diffusion of Cr and W in, 198
phase studies, 46
Tungsten carbide (WC)
crystal structure, 204–5
elastic properties, 205
integral and partial configuration entropies for solid solutions of, 127
preparation of spherical granules of, 125
structure and hardness, effect of high pressure on, 204
thermal expansion, 204
thermodynamic properties, 127–28
Tungsten cermets (W–UN)
fabrication by sintering and hot isostatic pressing, 228
Tungsten cermets (W–UO_2)
thermal conductivity, 78
Tungsten cermets (W–UO_2)(W clad)
fabrication by gas-pressure bonding, 62–63
Tungsten composites (HfC–W)
melting temperature, 204
Tungsten dispersions (W–ThO_2)
yield strength, 202
Tungsten dispersions (W–UO_2)
thermal properties, 8
Tungsten systems
(see ASTAR 811C, D-43, SU-16, and T-222)
Tungsten systems (Al–Hf–Nb–N–Ti–W–Zr)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Tungsten systems (C–Hf–W)
strength and ductility of, effect of composition, heat-treatment and substructure on, 123
Tungsten systems (C–Hf–Ta–W–Zr)
oxidation in air, formation of protective

coating during, 180
Turbine buckets
erosion and cavitation damage by steam, Cs vapor, and K vapor, 30
TZC
creep properties, 122
tensile properties at high temperatures, 200–1
TZM
brazed joints of, shear strength of, 215–16
corrosion by liquid Na, 182
corrosion by liquid K, 186
creep properties, 122
stress–rupture strength, effect of fabrication variables on, 122
tensile properties at high temperatures, 200–1
TZM alloys (Nb–TZM)
stress–rupture strength, effect of fabrication variables on, 122
TZM molybdenum
corrosion, chemical and galvanic, 98
oxidation behavior of Durak B and Vought IX silicide coated, 180

U

Udimet 700
creep properties, effect of stress cycling on, 120–21
fabrication by powder-metallurgical techniques, 61
Ultrasonic testing, 68–69, 151–52, 217, 254
UMCO-51
corrosion by liquid Na, 28
effects of irradiation on tensile properties of, 40–41
Uranitride (UN)
solubility of USi in, 10
Uranium
cold shots in ingots, prevention of, 248
corrosion by diphenyl, 104
creep properties of beta-quenched, 156–57
deformation mechanisms in alpha phase, 1
diffusion of W in, 133
diffusion studies of Ni plated, 197
effect of ingot grain structure on the formation of seams during rolling of rods of, 249
effects of irradiation on electrical conductivity of single crystals of, 84
electroplating with Zr, 64
electropolishing, 64
extrusion, 249
fission damage at 4°K, 166
fission gas bubbles in, effect of annealing on distribution of, 73
fission gas bubbles in, post-irradiation behavior of, 73
grain growth, thermodynamics of, 1
growth and electrical-resistivity changes in irradiated wires of, 84
ignition temperature in O_2, 155
irradiation damage in alpha phase, 231
irradiation swelling, 166, 221
length changes of irradiated single crystals of, 84
release of CH_3I from, during reactor accidents, 85
room-temperature ductility, effect of annealing on, 73
tensile and impact properties of extruded, 155
Uranium (adjusted)
effect of thermal cycling on density of, 155
Uranium (nickel plated)
ductility at room temperature, effect of annealing under vacuum on, 73
room-temperature ductility, effect of annealing on, 73
Uranium-233
fission cross section, 84
neutron-capture cross section, 84
Uranium alloys (adjusted)
structural changes during high-temperature deformation, 1–2
Uranium alloys (Al–Fe–U)
microstructure of as-cast, 156
Uranium alloys (Al–U)
analysis of precipitates in, 156
irradiation performance, 221
microstructure of as-cast, 156
Uranium alloys (B–U)
grain-refining effects and transformation kinetics of, 73–74
Uranium alloys (Cr–U)
grain-refining effects and transformation kinetics of, 73–74
Uranium alloys (Cr–U)(molten)
evaluation of Y as container material for, 31
Uranium alloys (fissium–Pu–U)
high-burnup properties, 75
Uranium alloys (Fe–U)
microstructure of as-cast, 156
Uranium alloys (Mo–Pu–U)
fabrication in fuel elements for the Zero Power Plutonium Reactor, 249
Uranium alloys (Mo–U)
corrosion by seawater, 27
grain-refining effects and transformation kinetics of, 73–74
irradiation swelling, 83–84
mechanical and physical properties, 158
recrystallization, effect of B on, 2
specific heat, 74
tensile properties, 2
tensile properties of, effect of temperaon, 232
thermal cycling of, effect on surfaces of, 232
transformation of gamma phase on rapid cooling, 74
Uranium alloys (Mo–U–Zr)
corrosion by H_2O, effect of composition and heat-treating on, 232
Uranium alloys (Nb–U)
coating with Nb, 251
tensile properties of, effect of temperature on, 232
Uranium alloys (Nb–U–Zr)
corrosion by H_2O, effect of composition and heat-treating on, 232
Uranium alloys (P–U)
grain-refining effects and transformation kinetics of, 73–74
Uranium alloys (Pu–Th–U)
solid solubility properties, 75
Uranium alloys (Pu–Ti–U)
high-burnup properties, 75
Uranium alloys (Pu–U)
irradiation swelling, effect of temperature, pressure, burnup, and composition on rate of, 4
Uranium alloys (Pu–U–Zr)
high-burnup properties, 75
preparation by induction melting, crucible coatings for, 2–3
Uranium alloys (Th–U)
irradiation performance in NaK at 785°C, 166
Uranium alloys (Th–U–Zr)
irradiation swelling, 7–8
Uranium alloys (Ti–U)
tensile properties of, effect of temperature on, 232
Uranium alloys (U–Zr)
grain-refining effects and transformation kinetics of, 73–74
specific heat, 155–56
tensile properties of, effect of temperature on, 232
thermophysical properties of hydrided, 242–43
Uranium aluminide dispersions (Al–UAl_3)
compressive-strength, 78
plate fabrication by the picture-frame, hot-rolling technique, 8
swelling during heat treatments, 78
Uranium boride (UB)
solubility in UN, 9–10
Uranium carbide (PuC)
irradiation behavior, literature survey on, 6
properties, literature survey on, 6
Uranium carbide (UC)
casting into fuel rings for the HWOCR, 210
Cr and V stabilized, compatibility with stainless steel, 10
compatibility with stainless steel, 10, 164
compatibility with vanadium, 164
compressive creep, 11
corrosion of powdered by diphenyl, 103–4
creep properties, 161–62, 166
diffusion of C in, 81–82
diffusion of ^{131}I in, 196
diffusion studies, 197
diffusion of Xe in, 165
effect of burnup on lattice parameters of, 85
electron-beam melting and casting of, 60
fission induced sorption of Kr in, 85, 165
gas release of irradiated, 165–66, 222
irradiation damage, basic studies of, 12–13
irradiation swelling, 165–66, 222
preparation from UF_4, 82
preparation from UO_2, U_3O_8, or UO_3, 82–83
production from U–UC mixture by warm pressing and reactive sintering, 11
production from UC_2, 11
solubility of Xe in, 165
specific heat, 227
thermal conductivity, effect of O_2 in solid solution with, 227
Uranium carbide (UC)(SAP clad)
performance in Santowax OM and HB-40, 32
Uranium carbide (UC_2)
diffusion of C in, 81–82
enthalpy, 227–28
Gibbs free energy of formation at 740 to 890°C, 82
irradiation behavior, literature survey on, 6
properties, literature survey on, 6
reduction to UC by heat-treating in H_2 atmosphere, 11

Uranium carbide (U_2C_3)
diffusion of C in, 81–82
irradiation behavior, literature survey on, 6
properties, literature survey on, 6
Uranium carbide dispersions (UC_2–graphite)
fabrication, 228
Uranium carbide systems (CeC–UC–ZrC)
phase studies, 9
Uranium carbide systems (PuC–UC)
compatibility with 316 stainless steel, 161–62
compatibility with 316L stainless steel, effect of Mo addition on, 162
compatibility with Cr–Ti–V alloy, 161–62
compatibility with various cladding materials, 6, 78
irradiation behavior, literature survey on, 6
irradiation swelling, 162
Pu losses during arc-melting, 6
preparation by the metal-methane fluidized-bed process, composition of, 6
preparation of single phase by arc-melting and hydrogen-treatment process, properties of, 6
properties, literature survey on, 6
thermal conductivity, 224
Uranium carbide systems (PuC_2–UC_2)
phase diagram, 224–25
Uranium carbide systems (Pu,U)C
compatibility of Na bonded with 316 stainless steel, 100–1
preparation by arc-melting, composition of, 7
Uranium carbide systems (TiC–UC)
phase studies, 227
Uranium carbide systems (UC–UN)
stability of solid solutions of, 10
Uranium carbonitride (U(C,N))
preparation from UO_2, 82
Uranium hydroxide
electrodeposition, 64
Uranium intermetallic compounds (UAl_2–UFe_2–UMn_2)
phase studies, 2
Uranium intermetallic compounds (U–UFe_2–UMn_2)
phase studies, 2
Uranium nitride (UN)
compressive creep, 11
creep properties of stoichiometric, 82
effect of burnup on lattice parameters of, 85
gas release of irradiated, 165–66
fabrication of compacts of, 228
irradiation swelling, 165–66
melting behavior as functions of temperture and N pressures, 77–78
Poisson's ratio, 10–11
self diffusion of ^{233}U in, 165
shear modulus, 10–11
solubility of UB in, 9–10
specific heat, 227
thermal diffusivity of, effect of stored energy on, 222–23
wetting by liquid Na, 182
Young's modulus, 10–11
Uranium nitride (U_2N_3)
determination of the partial pressure of N_2 over, 10
Uranium nitride cermets (UN–Mo)
fabrication by sintering and hot isostatic pressing, 228–29
Uranium nitride cermets (UN–W)
fabrication by sintering and hot isostatic pressing, 228–29
Uranium nitride systems (HfN–UN)
phase studies, 9–10
Uranium nitride systems (PuN–UN)
compatibility of Na bonded with 304 stainless steel, 7
compatibility with various cladding materials, 7, 78
irradiation behavior, 7
melting behavior as functions of temperature and N pressures, 77–78
vapor pressure, 7
Uranium nitride systems ((Pu,U)N)
fission gas release studies, 162
irradiation swelling, 162
melting behavior, 162
nitrogen interaction, effect of irradiation on, 225
vaporization of, 225
Uranium nitride systems (TiN–UN)
phase studies, 9–10
Uranium nitride systems (UC–UN)
stability of solid solutions of, 10
Uranium nitride systems (UN–UO_2)
phase studies, 226–27
Uranium nitride systems (UN–ZrN)
phase studies, 9–10
Uranium oxide (UO_2)
chemical plating with Cr_3C_2, 250
columnar-grain formation, 222
columnar-grain growth, inhibition by Ir addition, 9, 226
diffusion of ^{233}U in, 199
compressive creep, 11
corrosion of powdered by diphenyl, 103–4
densification behavior of powders prepared by the reaction of UF_6 with H_2 and O_2 in a flame reactor, 164
effect of burnup on lattice parameters of, 85
enthalpy of, 163
fabrication of shapes by plastic deformation techniques, 80
fission damage, survey of, 166
fission gas bubbles in, resolution of, 85, 166, 222
fission gas bubbles in, trails of migrating, 166
fission-gas release from, 85, 165–66, 222
fission gas release, effect of power changes on, 167
heat of fusion, 163
ionic motion in, 223, 226
irradiation damage, basic studies of, 12–13
irradiation swelling, 165–66
molybdenum diffusion from irradiated, 226
oxygen diffusion in, 225–26
oxygen redistribution in during irradiation, 79–80
preparation of hollow spherical particles of, 9
preparation of large single crystals of, 248–49
production from UO_3 by arc fusion process, 164
reaction with H_2O during loss-of-coolant accidents in light-water power
reaction with liquid Na, 83
reaction with steam, 83
release of CH_3I from, during reactor accidents, 85
saturation solubility and diffusion of He in, 163
self diffusion of ^{233}U in, 165
sintering of powders of, effect of reducing and oxidizing atmospheres on, 226
specific heat, 227
surface diffusion coefficient, 9
thermal conductivity, 9
thermal conductivity of sintered stoichiometric, 163
thermal diffusivity of, effect of stored energy on, 222–23
trapping of Xe in, effect of bombardment temperature on, 167
uranium diffusion in, 225–26
Uranium oxide (UO_2)(clad)
fission-product-gas pressure in microscopic void of irradiated, 222
Uranium oxide (UO_2)(SAP clad)
fretting and wear tests in Santowax OM, 31–32
Uranium oxide (UO_2)(stainless steel-304 clad)
reaction with water during loss-of-coolant accidents in water-cooled power reactors, 32–33
Uranium oxide (UO_2)(Zircaloy clad)
reaction with water during loss-of-coolant accidents in water-cooled power reactors, 32–33
Uranium oxide (UO_2)(Zircaloy-2 clad)
corrosion in the Dresden Reactor, 96
fretting and wear tests in Santowax OM, 31–32
reaction with steam during loss-of-coolant accidents, 104–5
Uranium oxide cermets (Mo–UO_2)
mechanical and thermal properties of, 8
Uranium oxide cermets (W–UO_2)
thermal conductivity, 78
Uranium oxide cermets (W–UO_2)(W clad)
fabrication by gas-pressure bonding, 62–63
Uranium oxide dispersions (Al–U_3O_8)
compressive-strength, 78
plate fabrication by the picture-frame, hot-rolling technique, 8
swelling during heat treatments, 78
Uranium oxide dispersions (BeO–UO_2)
irradiation effects on physical properties of, 92
retention of fission products, 92
Uranium oxide dispersions (W–UO_2)
thermal properties, 8
Uranium oxide systems (B_4C–UO_2)
irradiation testing, 175–76
Uranium oxide systems (PuO_2–UO_2)
burnup studies, 76–77
compatibility with Ta, 224
compatibility with vanadium alloys, 161
compatibility with various claddings, 77–78, 224
densities of sil-gel prepared pellets of, 223
fabrication by hot pressing, 160
fabrication of pellets, 223
gas-release behavior of irradiated, effect of stoichiometry on, 161
irradiation performance of 304L stainless steel clad, 223
liquidus–solidus curves for, 223
melting heat rating of, effect of stoichiometry on, 5–6
microstructure of irradiated, effect of stoichiometry on, 161
physical and thermal properties, 75–76
preparation of pellets for FFTF fuel, 4
preparation of spherical particles of, 5, 76, 160
shear modulus, 5

solid-fission-product behavior in, 167, 224
thermal conductivity, 5
thermal conductivity, effect of stoichiometry on, 160–61
thermal diffusivity, 5
Young's modulus, 5
Uranium oxide systems (PuO_2–UO_2–ZrO_2)
burnup studies, 77
melting point, 77
phase studies, 77
Uranium oxide systems $(Pu,U)O_2$
reduction by liquid Na containing various amounts of O_2, 100
Uranium oxide systems (ThO_2–UO_2)
comminutation of persintered granules by planetary ball milling, 226
diffusion of U in, 53
Uranium oxide systems $((Th,Pu)O_2)$
thermal stability of particles of, 77
Uranium oxide systems (UN–UO_2)
phase studies, 226–27
Uranium rods (Zircaloy-2 clad)
irradiation swelling, effect of axial hole on, 73
Uranium silicide (USi)
solubility in UN, 10
Uranium silicide (U_3Si)
corrosion by H_2O, 158
fission-fragment damage, 166–67
production and properties, 232–33
structure of, effect of irradiation on, 221
Uranium silicide (U_3Si)(Zircaloy-2 clad)
corrosion by high-temperature water, effect of defected cladding on, 83
Uranium silicide (U_3Si_2)
production and properties, 232–33
Uranium sulfide (US)(Nb–Zr clad)
burnup studies, 82
Uranium systems (Al–C–Fe–Si–U)
precipitation of UAl_2 from 350 to 600°C, kinetics of, 73–74
Uranium systems (Al–C–Fe–Si–U) (Zircaloy-2 clad)
corrosion of beta heat-treated by water at 282°C, 73
Uranium systems (Al–C–Fe–U)
creep properties, 157–58
microstructure of as-cast, 156
Uranium systems (Al–C–Si–U)
microstructure of as-cast, 156
Uranium systems (Al–C–U)
microstructure of as-cast, 156
Uranium systems (Al–Cr–Si–U)
irradiation swelling, 83–84
Uranium systems (Al–Fe–Si–U)
alpha-to-beta transition temperature, 73
microstructure of as-cast, 156
structural properties, 73
Uranium systems (Al–Mo–Si–U)
irradiation swelling, 83–84
Uranium systems (Al–Si–U)
microstructure of as-cast, 156
Uranium systems (C–Fe–Si–U)
microstructure of as-cast, 156
Uranium systems (C–Fe–U)
microstructure of as-cast, 156
Uranium systems (C–N–O–U)
phase studies, 81
Uranium systems (C–N–U)
studies, 77
Uranium systems (C–Si–U)
microstructure of as-cast, 156
Uranium systems (C–U)
grain-refining effects and transformation kinetics of, 73–74
microstructure of as-cast, 156
phase studies, 161
Uranium systems (C–U–V)
phase studies, 10
Uranium systems (C–U–Zr)
phase studies, 227
Uranium systems (H–U–Zr)
irradiation testing in the TRIGA Mark F Reactor, 20
pressure-temperature isochores to 1300°C for, 19–20
Uranium systems (Fe–Si–U)
microstructure of as-cast, 156
Uranium systems (N–Th–U)
phase studies, 78
Uranium systems (O–Pu–U)
metallographic and X-ray investigations in, 75
Uranium systems ((Pu,U)–C–N)
studies, 77
Uranium systems (Pu–Th–U)
phase studies, 231
Uranium systems (Si–U)
analysis of precipitates in, 156
delta peritectoidal reaction in, effect of C on, 2
grain-refining effects and transformation kinetics of, 73–74
microstructure of as-cast, 156
structure, effect of fabrication and heat-treatment variables on, 158

V

Vanadium
compatibility with PuC–UC systems, 78
compatibility with PuN–UN, 7
corrosion by liquid Na, 182
creep properties, 46
deposition from VCl_3, 250
deposition from VCl_3, VCl_4, and VF_5, 212
diffusion in, bibliography on, 132
irradiation damage, 114
preparation of single crystals of, 249
pressure bonding to Zr, 62
production of cavities in by irradiation, 110
relative partial molar enthalpy in liquid Pu, 3
solubility in liquid Pu, 3
solubility in liquid K, 185
solubility of O_2 in, 30
Vanadium alloys
compatibility with UO_2–PuO_2, 161
Vanadium alloys (Al–Ti–V)
diffusion welds in, effect of welding temperature and pressure on strength of, 252
Vanadium alloys (Cr–Ti–V)
burst properties of tubes, effect of irradiation on, 110
compatibility with PuC–UC fuels, 161–62
compatibility with PuO_2–UO_2 systems, 78
corrosion by liquid Na, 28
preparation of high purity, 60
preparation of ingots of, 210–11
Vanadium alloys (Nb–Ti–V)
creep and stress-rupture properties of, effect of Ti content on, 123
Vanadium alloys (Nb–V)
oxidation in air at 500–900°C, 179
Vanadium alloys (Nb–V–Zr)
oxidation in air at 500–900°C, 179
Vanadium alloys (Nb–Zr)
compatibility with PuN–UN systems, 78
compatibility with PuO_2–UO_2 systems, 78
Vanadium alloys (Tc–V)
phase studies, 46
Vanadium alloys (Ti–V)
compatibility with PuC–UC systems, 78
compatibility with PuO_2–UO_2 systems, 78
corrosion by liquid Na, 28
creep and stress-rupture properties of, effect of Ti content on, 123
effect of irradiation on creep properties of, 41
preparation of ingots of, 210–11
Vanadium alloys (V–Zr)
compatibility with PuO_2–UO_2 systems, 78
Vanadium carbide (VC)
carbon activity in nonstoichiometric, effect of composition and temperature on, 127
integral and partial configuration entropies for solid solutions of, 127
microhardness of, effect of stoichiometry on, 127, 129
yield strength of, 127, 130
Vanadium carbide systems (HfC–VC)
phase diagram, 126
Vanadium carbide systems (NbC–TaC–VC)
miscibility gaps in, 126
Vanadium carbide systems (VC–ZrC)
phase diagram, 126
Vanadium composites (HfC–V)
melting temperature, 204
Vanadium oxide (VO)
preparation of single crystals of, 249
Vanadium systems
(see Croloy, Vanstar-7, and Vanstar-9)
Vanadium systems (C–Cr–V)
phase studies, 126
Vanadium systems (C–U–V)
phase studies, 10
Vanadium systems (H–V)
phase diagram, 243–44
Vanstar 7
compatibility with PuO_2–UO_2 systems, 78
corrosion by liquid Na, 182–83
preparation of ingots of, 210–11
Vanstar 8
compatibility with PuO_2–UO_2 systems, 78
preparation of ingots of, 210–11
Vanstar 9
compatibility with PuO_2–UO_2 systems, 78
corrosion by liquid Na, 182–83
preparation of ingots of, 210–11

W

Welding, 64–67, 148–50, 214–15, 251–53

X

XAP 005
cyclic-strain fatigue behavior of, 116–17
XB-88
development of aluminide and silicide coatings for oxidation protection of, 179

Y

Yttrium
diffusion of Mo and Nb in, 134
diffusion of Zr in, 134
use as container material for molten U–Cr alloys, 31
Yttrium alloys
(see C-129Y)

Yttrium hydride (YH_2)
use as moderator in a fuel element, 20
Yttrium oxide (Y_2O_3)
diffusion of ^{91}Y in, 53
use as crucible coating, 2–3
Yttrium oxide dispersions (Y_2O_3)
production, 119
Yttrium oxide dispersions (Zr–Y_2O_3)
chemical reactions in, effect of sintering times and temperatures on, 49
creep and rupture properties, effect of Y_2O_3 content on, 49

Z

Zinc
deposition on metals by evaporation-abetted bias sputtering, 63
Zircaloy
corrosion by high-temperature steam, effects of silicate ions on, 25
corrosion by H_2O, distribution of hydride precipitates during, 97
corrosion and wear surveillance in the PRTR, 27
deformation behavior, 117–18
effect of radiation on corrosion, mechanical properties, and hydride formation of, 34
fabrication of tubes of, 249–50
hydride precipitates in, 174–75
reaction with H_2O during loss-of-coolant accidents in light-water power reactors, 32
removal of oxide films from by pickling, 95–96
supersaturation of H_2 in, theoretical predictions for, 48
Zircaloy-2
acoustic emission from tubes during tension and fatigue testing, 119
corrosion by H_3BO_3–NaOH solutions, 95
corrosion by steam, effects of radiation on, 177
creep properties, effects of irradiation on, 109, 187
diffusion of Cr and Fe in, 198
explosive welding to SAP, 214
failure stress of flawed tubes of, effect of neutron radiation and H_2 content on, 187
heavy-water pressure-tube technology, review of, 192
hydrogen transport in, 175
in-pile creep tests on, 33–34
in-reactor corrosion by D_2O, 96
orientation of hydride platelets in tubes of, effect of diameter and wall thickness on, 118
strain aging, effects of irradiation on, 109
tensile properties, 192
Zircaloy-4
corrosion and hydriding of tubing in a pressurized-water system, effect of heat transfer and isothermal conditions on, 25
corrosion by steam, effects of radiation on, 177
plasma/electron-beam welding, 65
in-pile relaxation behavior, 34
in-pile tensile tests on, 34
mechanical properties at high temperatures, 192–93
recovery and recrystallization kinetics of cold-worked plates and tubes of, 47–48
surface cracking during rolling at 795°C, 47
Zirconia
(see Zirconium oxide (ZrO_2))
Zirconium
brazing of strips, 253
casting of ingots of, 248
deformation behavior, 117–18
deformation behavior, effect of O_2 content on, 118
diffusion in X, 134
diffusion of C, N, and O in, frequency factors and activation energies for, 51
diffusion of Mo in, 198
diffusion of ^{95}Nb in alpha, effect of temperature on, 52
diffusion of O in, 51–52
diffusion of Ru in, 134
diffusion welding to steel, 215
electrodeposition on U, 64
electromigration of C, N, and O in, 52
flow stress at low temperatures, effect of O_2 content on, 118
hydride habit planes in single-crystal, 242
oxidation, 96
preparation of high-purity by electron-beam refining, 142
pressure bonding to graphite, 62
pressure bonding to V, 62
production of ingots by electron-beam melting, 60
reaction with H_2O during loss-of-coolant accidents in light-water power reactors, 32
self-diffusion in, 52
solubility in liquid Li and K, 185
strength of tubing of, effect of cold working on, 210
symposia on fabrication and properties of, 117
tensile properties, effect of He and Li on, 34
solubility and precipitation of H_2 in, 118
Zirconium alloys
(see also Cb-752 and FS-85)
effect of radiation on corrosion mechanical properties, and hydride formation of, 34
hydride precipitates in, review of, 192
in-pile creep tests on, 33–34
oxidation in high-temperature steam effects of radiation on, 177
symposium on fabrication and properties of, 117
Zirconium alloys (Cr–Fe–Zr)
beta to alpha transformation temperature of, effect of cooling rate on, 119
development, 48
hardenability, effect of cooling rate on, 193
Zirconium alloys (Cr–Nb–Zr)
creep properties in air, 48–49
development, 48–49
Zirconium alloys (Cu–Fe–Zr)
corrosion by steam, effects of radiation on, 177
Zirconium alloys (Cu–Mo–Zr)
diffusion of Mg in, effect on tensile properties of, 52
Zirconium alloys (Cu–Nb–Zr)
effect of irradiation on tensile properties of annealed, 34–35
in-pile relaxation behavior, 34
Zirconium alloys (Cu–Zr)
diffusion of O in, 52
transformation characteristics of, 49
Zirconium alloys (Hf–Nb–Ti–Zr)
high-temperature strength properties, 45
Zirconium alloys (Hf–Nb–W–Zr)
high-temperature strength properties, 45
Zirconium alloys (Mo–Ti–Zr)
corrosion by liquid Na, 28
Zirconium alloys (Mo–U–Zr)
corrosion by H_2O, effect of composition and heat-treating on, 232
Zirconium alloys (Nb–Sn–Zr)
corrosion by steam, effects of radiation on, 177
Zirconium alloys (Nb–U–Zr)
corrosion by H_2O, effect of composition and heat-treating on, 232
Zirconium alloys (Nb–V–Zr)
oxidation in air at 500–900°C, 179
Zirconium alloys (Nb–Zr)
adsorption-rate sticking probabilities for O_2 on, 179
brazing, 68
brazing to Al_2O_3, 215
compatibility with PuN–UN systems, 78
compatibility with PuO_2–UO_2 systems, 78
corrosion by liquid Ce, 186
corrosion by liquid K, 102–3
corrosion by liquid Rb, 186
corrosion by liquid Na, 28, 182
corrosion by steam, effects of radiation on, 177
development, 48–49
ductility of electron-beam-melted ingots of, 141–42
evaluation as fuel-cladding materials for the LMFBR, 29
in-pile creep tests on, 33–34
oxidation in air at 500–900°C, 179
oxidation in dry air at 485 to 935°C, 178–79
strain rate dependence of the tensile flow stress of, 45
tensile properties of, effect of H_2 on, 118–19
yield strength, effect of irradiation on, 187
Zirconium alloys (Nb–Ti–Zr)
ductility of electron-beam-melted ingots of, 141–42
Zirconium alloys (Pu–U–Zr)
high-burnup properties, 75
preparation by induction melting, crucible coatings for, 2–3
Zirconium alloys (Pu–Zr)
phase studies, 3
Zirconium alloys (Th–U–Zr)
irradiation swelling, 7–8
Zirconium alloys (U–Zr)
grain-refining effects and transformation kinetics of, 73–74
specific heat, 155–56
tensile properties, effect of temperature on, 232
thermophysical properties of hydrided, 242–43
Zirconium alloys (V–Zr)
compatibility with PuO_2–UO_2 systems, 78
Zirconium boride
diffusion in, frequency factors and activation energies for, 51
Zirconium boride (ZrB_2)
irradiation damage, 22–23, 246
oxidation behavior, 93
properties of, effect of ceramic additives on, 132
sintering by chemical activation, 125
Zirconium carbide
diffusion in, frequency factors and activation energies for, 51

integral and partial configuration entropies for solid solution of, 127
Zirconium carbide (ZrC)
compatibility with various refractory metals, 123–24
elastic properties, 205
hot hardness of sintered, 205
production, 125
microhardness, effect of stoichiometry on, 127, 129
yield strength of, 127, 130
Zirconium carbide cermets (Mo–Re–HfC)
properties, 124–25
Zirconium carbide composites (ZrC–C)
thermal expansion, 204
Zirconium carbide composites (ZrC-graphite)
mechanical properties, 204
Zirconium carbide hydrides
crystal structure, 21
Zirconium carbide systems (C–ZrC)
preparation, 142
Zirconium carbide systems (CeC–UC–ZrC)
phase studies, 9
Zirconium carbide systems (HfC–TiC–ZrC)
miscibility gaps in, 126
Zirconium carbide systems (VC–ZrC)
phase diagrams, 126
Zirconium carbide systems (Zr–ZrC–ZrN)
constitution diagram of, 127
Zirconium composites (HfC–Zr)
melting temperature, 204
Zirconium dispersions (Zr–Y_2O_3)
chemical reactions in, effect of sintering times and temperatures on, 49
creep and rupture properties, effect of Y_2O_3 content on, 49
production, 119
Zirconium hydride
neutron-thermalization process in, 93
Zirconium hydride (ZrH)
corrosion of powdered by diphenyl, 103–4
Zirconium hydride (ZrH_2)
measurement of internal friction in polycrystalline wires with a low-temperature torsion pendulum, 174
Zirconium nitride hydrides
crystal structure, 22
Zirconium nitride systems (UN–ZrN)
phase studies, 9–10
Zirconium nitride systems (Zr–ZrC–ZrN)
constitution diagram of, 127
Zirconium oxide
diffusion in, frequency factors and activation energies for, 51
Zirconium oxide (ZrO_2)
corrosion of powdered by diphenyl, 103–4
diffusion of oxygen-ions in, 52
reaction with ThO_2, 164–65
sintering kinetics of ultra-fine calcia stabilized, 55
Zirconium oxide systems (Al_2O_3–ZrO_2)
phase studies, 132
Zirconium oxide systems (Cr_2O_3–ZrO_2)
phase studies, 55
Zirconium oxide systems (HfO_2–ZrO_2)
phase studies, 94
Zirconium oxide systems (PuO_2–UO_2–ZrO_2)
burnup studies, 77
melting point, 77
phase studies, 77
Zirconium oxide systems (PuO_2–ZrO_2)
application as isotropic heat-source material, 77
phase studies, 224
Zirconium oxide systems (Sm_2O_3–ZrO_2)
phase studies, 23
Zirconium systems
(see D-43, TZC, TZM molybdenum, TZM, Vanstar-7, Vanstar-9, Zircaloy-2, and Zircaloy-4)
Zirconium systems (Al–Hf–Nb–N–Ti–W–Zr)
high-temperature strength properties, 45
oxidation tests at 1000°C, 45
Zirconium systems (C–Hf–Ta–W–Zr)
oxidation in air, formation of protective coating during, 180
Zirconium systems (C–U–Zr)
phase studies, 227
Zirconium systems (H–U–Zr)
irradiation testing in the TRIGA Mark F Reactor, 20
pressure-temperature isochores to 1300°C for, 19–20
Zirconium systems (H–Zr)
phase studies, 92–93
Zirconium systems (Zr–ZrC–ZrN)
constitution diagram, 127
Zirconium tritide (ZrT_2)
formation of ^3He in by ^3T decay, 83

LEGAL NOTICE

This journal was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this journal, or that the use of any information, apparatus, method, or process disclosed in this journal may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this journal.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.